

Dane County ZLR Committee
City-County Building Rm 354
210 Martin Luther King Jr Boulevard
Madison WI. 53703

1/16/2023

ZLR Committee,

I oppose CUP 02582 K&D Stone for the following reasons that I believe meet the substantial evidence standard as defined by Act 67 as facts and information that reasonable persons would accept in support of a conclusion.

-dump truck traffic, already excessive would increase to unacceptable levels and threaten the safety and general welfare of town residents. STD 1, 2, 3.

-high potential for surface and ground water pollution from diesel fuel and hydraulic fluid. It doesn't take a Hydrologist to know that water and pollutants flow downhill. Bad Fish Creek is downhill from the site. Top soil naturally filters and protects the ground water, removing top soil threatens the underlying aquifer. STD 4.

-dust is a major concern and Crystalline silica dust is a known carcinogen that wind can spread for miles. NIOSH identifies additional health risks including Chronic Obstructive Pulmonary Disease (COPD), kidney disease and autoimmune disease. Std 1, 2, 3.

The first question that should be addressed for any CUP or zoning change is; does this action benefit the Township or not, clearly this CUP does not benefit the Township or majority of residents.

Thank you very much for your consideration.

Peter Vanderveer
127 Shady Willow Rd
Brooklyn, WI. 53521
Rutland Township