



- NOTES:
1. LOTS 12 AND 13 ASSUMED TO BE EXEMPT FROM INFILTRATION REQUIREMENTS DUE TO SEASONALLY HIGH GROUND WATER AND CLAY SOILS IDENTIFIED BY SOIL BORINGS.
  2. SOIL BORINGS IDENTIFIED SEASONALLY HIGH GROUND WATER (APPROX. 3' FROM SURFACE) IN LOTS 1-6. RAIN GARDENS HAVE BEEN LOCATED TO MAXIMIZE INFILTRATION OF RUNOFF FROM ROOFTOPS ON THESE LOTS.
  3. RAIN GARDENS HAVE BEEN SIZED TO INFILTRATE 100% OF THE ROOFTOP RUNOFF DISCHARGED TO THE BACKLOT. (E 1/2 OF THE TOTAL ASSUMED ROOF AREA.
  4. FINAL RAIN GARDEN LOCATIONS TO BE DETERMINED DURING FINAL SITE DESIGN STAGES. LOTS WILL BE GRADED TO DRAIN TOWARD RAIN GARDENS.

NO.	REVISION / ISSUE	DATE



MONTGOMERY ASSOCIATES:  
 RESOURCE SOLUTIONS, LLC  
 119 SOUTH MAIN ST  
 COTTAGE GROVE, WI 53527  
[www.ma-rs.org](http://www.ma-rs.org)

**STORMWATER MANAGEMENT PLAN**  
**WINDSOR BLUE PLAT DEVELOPMENT**  
 Town of Windsor  
 Dane County WI  
 Windsor Golf Ventures INC



SCALE  
 1" = 100'  
 PROJECT NO. 1652  
 DATE 09/03/14

DRAWN BY  
**RSS**  
 CHECKED BY  
**DJH**