

# Dane County Conditional Use Permit Application

<b>Application Date</b>	<b>C.U.P Number</b>
03/16/2022	DCPCUP-2022-02563
<b>Public Hearing Date</b>	
05/24/2022	

<b>OWNER INFORMATION</b>	<b>AGENT INFORMATION</b>
--------------------------	--------------------------

OWNER NAME KEVIN HAHN	Phone with Area Code (608) 333-5607	AGENT NAME COURTER RESOURCE GROUP LLC	Phone with Area Code (715) 450-3669
BILLING ADDRESS (Number, Street) 3898 OLD STONE RD		ADDRESS (Number, Street) 17054 HWY 178	
(City, State, Zip) OREGON, WI 53575		(City, State, Zip) Jim Falls, WI 54748	
E-MAIL ADDRESS nelsonexcavatingandson@gmail.com		E-MAIL ADDRESS susan@courterresource.com	

<b>ADDRESS/LOCATION 1</b>	<b>ADDRESS/LOCATION 2</b>	<b>ADDRESS/LOCATION 3</b>
---------------------------	---------------------------	---------------------------

<b>ADDRESS OR LOCATION OF CUP</b>	<b>ADDRESS OR LOCATION OF CUP</b>	<b>ADDRESS OR LOCATION OF CUP</b>
1000 feet south of 439 Center Road		
TOWNSHIP RUTLAND	SECTION 28	TOWNSHIP
		SECTION
<b>PARCEL NUMBERS INVOLVED</b>	<b>PARCEL NUMBERS INVOLVED</b>	<b>PARCEL NUMBERS INVOLVED</b>
0510-284-8001-0	---	---


<b>CUP DESCRIPTION</b>
------------------------

Non-metallic mineral extraction operation

<b>DANE COUNTY CODE OF ORDINANCE SECTION</b>	<b>ACRES</b>
--	--------------

10.222(3) and 10.103(15)	22.96
--------------------------	-------

<b>DEED RESTRICTION REQUIRED?</b>  <input type="checkbox"/> Yes <input type="checkbox"/> No  Applicant Initials _____	<b>Inspectors Initials</b>  RWL1	<b>SIGNATURE:(Owner or Agent)</b>   <b>PRINT NAME:</b>   <b>DATE:</b>   
---	--	---



**Legend**

- |  |            |   |
|--|------------|---|
|  | Wetland    | <b>Significant Soils</b>  |
|  | Floodplain |  Class 1 |
|  |            |  Class 2 |



**CUP 02563**  
**KEVIN HAHN**





March 1, 2022

Dane County Planning and Development  
Room 116, City-County Building  
210 Martin Luther King Jr. Blvd.  
Madison, WI 53703-3342

Town of Rutland  
Town Board and Planning Commission  
4177 Old Stage Road  
Brooklyn, WI 53521

**Re: Kevin Hahn Property – Nonmetallic Mining Conditional Use Permit Application**

Dear Town of Rutland and Dane County Representatives,

Nelson Excavating and Son, LLC (Nelson Excavating) is a local, family-owned, and operated construction company and aggregate supplier serving communities in south-central Wisconsin for more than ten years. To meet the needs of their customers, Nelson Excavating must continually secure mineral reserves. In 2019, Kevin Hahn, owner of Nelson Excavating, secured reserves on an approximate 36.7-acre parcel south of their existing quarry located on Center Road in the Town of Rutland, Dane County. The property contains glacial sand and gravel, and dolomite, an altered variety of limestone essential for the construction and maintenance of local homes, businesses and infrastructure, as well as water treatment and erosion control.

Attached is an operation and environmental control plan to supplement a Dane County Conditional Use Permit application and request to excavate the mineral reserves on the property; all information applies to the 36.7-acre parcel, not existing operations at the Nelson Quarry.

Thank you for your review time and consideration. If you have any questions, don't hesitate to contact myself or Kevin Hahn at (608) 333-5607.

Warm regards,

A handwritten signature in black ink that reads 'Susan Courter'.

Susan Courter, P.G.

Enclosure: Center Road Quarry, Operation and Environmental Control Plan  
cc: Nelson Excavating and Son, LLC

**NELSON EXCAVATING AND SON, LLC**  
**CENTER ROAD QUARRY**

**OPERATION AND**  
**ENVIRONMENTAL CONTROL PLAN**

**PARCEL ID 052/0510-284-8001-0**

**SECTION 28**  
**TOWN OF RUTLAND, DANE COUNTY**

**March 1, 2022**

## SITE AND CONTACT INFORMATION

**Site Location:** NE ¼, SE ¼, Section 28, T5N, R10E  
Town of Rutland, Dane County, Wisconsin

**Parcel ID:** 052/0510-284-8001-0

**Parcel Size:** 36.7 Acres

**Zoning District:** FP-35 General Preservation Farmland

**Operator:** Nelson and Son Excavating, LLC  
427 Center Road  
Oregon, Wisconsin 53575  
Phone: (608) 333-5607

Kevin Hahn [nelsonexcavatingandson@gmail.com](mailto:nelsonexcavatingandson@gmail.com)

**Property Owner:** Kevin Hahn  
427 Center Road  
Oregon, Wisconsin 53575  
Phone: (608) 333-5607

Kevin Hahn [nelsonexcavatingandson@gmail.com](mailto:nelsonexcavatingandson@gmail.com)

**Consultant:** Courter Resource Group, LLC  
17054 State Highway 178  
Jim Falls, Wisconsin 54748  
(715) 450-3669

Susan Courter, P.G. [susan@courterresource.com](mailto:susan@courterresource.com)

# TABLE OF CONTENTS

- 1 Introduction, Background and Purpose
  
- 2 Existing Site Conditions
  1. Location, Zoning and Land Use
  2. Topography
  3. Distribution, Thickness and Type of Soils
  4. Geology and Description of the Mineral Resource
  5. Surface Water and Ground Water
  6. Plant and Wildlife
  
- 3 Proposed Operations
  1. Access
  2. Setbacks
  3. Site Development and Erosion Control
  4. Blasting and Mineral Processing
  5. Hours of Operation
  
- 4 Human Health and Environmental Protections
  1. Safety
  2. Aesthetics
  3. Noise
  4. Air Quality
  5. Ground Water and Surface Water Protection
  6. Reclamation

## APPENDICES

Appendix A	Figure 1	USGS Topographic and Site Location
	Figure 2	Zoning and Parcel Boundaries
	Figure 3	2018 Aerial Imagery
	Figure 4	Existing Conditions
	Figure 5	Soil Types
	Figure 6	Depth to Water Table
	Figure 7	Property Owners within 600 Feet
	Figure 8	Operation Plan
Appendix B	Site Survey	
Appendix C	Local Well Construction Reports Summary	
Appendix D	Aggregate Products and Material Testing	
Appendix E	WDNR Permit and Storm Water Pollution Prevention Plan	
Appendix F	Aggregate Processing and Construction Equipment	
Appendix G	Emission Control Plan	
Appendix H	Dane County Standards	

## **Introduction and Purpose**

Kevin Hahn seeks to obtain a conditional use permit to extract stone reserves from an approximate 36.7-acre parcel adjacent to their existing quarry operation on Center Road, in the Town of Rutland, Dane County, Wisconsin. The existing quarry is referred to as the Center Road Quarry (formerly the Homburg Quarry). The reserves are needed to supply South Central Wisconsin communities with construction aggregates into the future.

The purpose of this report is to provide information for a conditional use permit (CUP) for nonmetallic mineral extraction on the 36.7-acre property and meet the requirements of Chapters 10 and 11 of the Dane County Code of Ordinances and other applicable local and state requirements.

## **Background**

According to Dane County records, aggregate materials from the Homburg Quarry have serviced the needs of the Town of Rutland and other local communities since 1937. The property with the quarry was purchased by Kevin Hahn in 2016 and continues to operate intermittently to supply local demand. In 2019, Kevin Hahn purchased the 36.7-acre property south of the Homburg (now Nelson) Quarry. Besides dolomite, the newly purchased property proved to have commercial quality sand and gravel. During the 2021 construction season, the sand and gravel was excavated for use in constructing the US Highway 14 roundabout, a local infrastructure improvement commissioned by the Wisconsin Department of Transportation (DOT).

## **Existing Site Conditions**

This section contains a review of the site's physical location and includes information on topography, soils, geology, surface and groundwater, and existing biological resources.

## **Location, Zoning, and Land Use**

The 36.7-acre property, Parcel ID 051/0284-800-10, is located in NE ¼, SE ¼, Section 28, Township 5 North, Range 10 East, Town of Rutland, Dane County, Wisconsin (see Figure 1 – USGS Topographic and Site Location, Appendix A).

The parcel is zoned FP-35 (General Farmland Preservation) Zoning District. Nonmetallic mining is permitted in areas zoned FP-35 through the issuance of a conditional use permit (see Figure 2 - Zoning and Parcel Boundaries, Appendix A).

Land surrounding the site is predominantly zoned Farmland Preservation District and utilized for agriculture, with minor amounts of rural residential development (see Figure 3 – 2018 Aerial Imagery, Appendix A). The residential structure closest to the site is located adjacent to and north of the existing quarry on Center Road. The applicant, Kevin Hahn, and his family purchased this home (formerly Kessnick) and have lived on the property since August, 2021. Additional property owners located within 600 feet of the proposed project are identified in Figure 7 – Property Owners Within 600 Feet. A site survey of the property is contained in Appendix B.

### Topography

The site is located in an upland area in southeastern Dane County. The topography across the site slopes gently from northeast to the south and southwest between elevations of 990 to 950 feet mean sea level (see Figure 4 – Existing Conditions, Appendix A). Previous extraction at the Nelson Quarry has created high walls at the quarry face ranging from 35 to 50 feet.

### Distribution, Thickness, and Type of Soils

The primary soil types at the site are: sandy loam present in the Boyer and Wyocena Series; silt loam present in the Dresden and Kert Series; and fine sandy loam to loamy fine sand in the Shiocton and Whalan Series (see Figure 5 - Soil Types, Appendix A). Found on glacial till plains, these soil types are gently sloping and well-drained. Whalan Series soils are underlain by dolomite bedrock between 12 to 32 inches. The A-horizon of these soils is generally thin, ranging from 0-9 inches.

### Geology and Description of the Mineral Resource

The primary mineral resource on the property is Ordovician-Aged, Sinnipee Group dolomite, a form of limestone. Based upon the information contained on local well construction reports, the dolomite deposit varies in thickness from 0-93 feet. The dolomite exposed in the quarry currently ranges in thickness from 35 feet on the north side of the quarry to 50 feet on the

south side of the quarry and is underlain by sandstone (see Local Well Construction Reports, Appendix C).

Dolomite is one of the most versatile construction materials in the state. Its uses span from building and road aggregate to lakeshore erosion control. The material has been tested and meets State of Wisconsin specifications for quality. An abbreviated list of aggregate products is included in Appendix D.

### Surface Water and Ground Water

Existing surface water features surrounding the property are shown in Figure 1 – USGS Topographic and Site Location, and Figure 4 – Existing Conditions (Appendix A). Because of the coarseness of the glacial deposits and near-surface fractured bedrock, the upland areas at the site are very well-drained. Surface water that is not captured by infiltration or plant uptake follows topography to the south towards an unnamed tributary to the south, southeast.

Groundwater across the site follows topography, moving from upland recharge areas to lowland discharge areas. According to UW- Extension and Wisconsin Geological and Natural History Survey Open File Report (WOFR) 1999-04, *Hydrogeology of Dane County*, and *Water-table Elevation and Unlithified Aquifers in Dane County, Wisconsin* by K. Bradbury, S. Swanson, J. Krohelski, and A. Fritz, 1999, groundwater is encountered at an approximate elevation of 920 feet mean sea level. In general, water supply wells in the area are cased through the upper dolomite formation into water-bearing portions of the underlying sandstone or limestone/dolomite bedrock (see Figure 6 – Depth to Water Table, Appendix A).

### Plant and Wildlife

The majority of the site is agricultural, with trees or shrubs located along the fence lines. The fields contain various crops such as corn, soybeans, or alfalfa (see Figure 3 – 2018 Aerial Imagery, Appendix A).

The property and neighboring areas provide support for transient species such as geese, ducks, and sandhill cranes due to the availability of food and nearby locations of water. Year-round wildlife species near the site include hawks, fox, skunk, white-tailed deer, rabbits, raccoons, and field mice.

## **Proposed Operations**

The following plan of operation is developed to efficiently utilize the site's natural and agricultural resources, protect human health and the environment, and minimize long-term operational costs. Operation plan details are specified in Figure 8 – Operation Plan, Appendix A.

### Access

The mineral resources at the site will be accessed from Center Road through the existing quarry entrance. The visibility at this location is good in both directions. The current access drive is approximately 50 feet in width. Improvements include 100 feet of recycled asphalt pavement, a stop sign leading up to Center Road, and a locking gate at the entrance posted with a “no trespassing” sign when the site is not in operation. An alternate location will be created on the south side of the property according to the driveway permit for the site. Transition areas between the access drive and agricultural fields will be seeded to prevent erosion and the growth of invasive species such as poison ivy and bull thistle.

### Setbacks

All subsurface operations will be set back a minimum of 20' from any property line that does not abut a public right of way to comply with Section 10.103(15)(6)(b) of the Dane County Code of Ordinances. A setback of 30' will be applied from Center Road.

### Site Development and Erosion Control

The site will be developed incrementally to minimize disturbed areas and preserve farmland. Mining activities will begin in the existing quarry and progress south as labeled in Figure 8 – Operational Plan, Appendix A. Areas not undergoing extraction will be utilized for agricultural production.

The general sequence of initial site development includes land clearing and stripping, followed by berm construction and seeding. Stripped material, including topsoil and overburden, will be excavated incrementally and separated and stored for future reclamation in berms. Besides providing topsoil and overburden storage, the berms offer an aesthetic, sound, and wind buffer to neighboring properties.

To optimize stabilization and minimize the growth of invasive species, the berm will be seeded. The selected seed cover will be based upon the soil type and temperature at the time of planting. A mulch cover will be spread on the sloped areas to reduce erosion and enhance plant growth. Seeding and mulching will be conducted in alignment with the Wisconsin Department of Transportation (WisDOT) standards #630 (Seeding on Slopes) and #627 (Mulching).

Erosion controls outlined in the Wisconsin Department of Natural Resources (WDNR) "Construction Site Best Management Practices" handbook will be utilized as needed to prevent sediment loss during the initial construction phase of the project. Such measures include seeding and mulching, the utilization of straw bales, rip rap with filter fabric, rock check dams, or the construction of settling or containment structures.

The quarry will be utilized for runoff containment support the remainder of the project. Stormwater will be collected in the quarry and discharged, as needed into the drainage swale located adjacent to Center Road according to the site's stormwater pollution prevention plan (SWPPP), before discharging to Badfish Creek. A copy of the SWPPP and Wisconsin Department of Natural Resources general permit for the site (No. WI-A046515-06) is included in Appendix E. A copy of the site's Erosion Control Plan will be submitted upon approval of the sites conditional use permit.

### Blasting and Mineral Processing


Quarrying operations require the physical reduction of earth materials through the controlled used of explosives and/or blasting agents. The blasting is needed to displace the rock from the quarry face and to produce fragmentation that permits efficient crushing and sizing.

Blasting is regulated by the Wisconsin Department of Safety and Professional Services (SPS). Chapter SPS 307 Explosives and Fireworks of the Wisconsin Administrative Code contains standards for the use of blasting materials and incorporates by reference the National Fire Protection Agency's (NFPA) 495 Explosive Materials Code. Administrative rules are regularly reviewed to keep them consistent with current regional and national public safety and fire prevention practices and standards.

**Blasting at the Center Road Quarry does not happen every day.** The process involves drilling holes into the dolomite rock and loading the holes with explosive material. The actual duration of each blast is less than one second. The number of blasts each year is proportionate to local demand for stone products. What this means is that some years may have more, others less, based upon the need for stone products in the local community.

For example, blasting at the existing Center Road Quarry occurred on three (3) occasions in 2020, and four (4) occasions in 2021. A summary of blasting performance at the Center Road Quarry compared to safe limits for blasting vibration which is 2.0 peak particle velocity (PPV) according to Wisconsin and U.S. requirements is summarized below. Average PPV is recorded in inches per second based upon results obtained from calibrated seismographs placed at nearby structures including the following residential properties: Kessenick (now Hahn), Peligri, and Hanson (2020), and Hanson (2021). Seismograph readings obtained from the following, non-residential locations are included in the average for several dates: the Town of Rutland Cemetery (December 22, 2020) and the Spelter property (November 4, 2020 and December 22, 2020).

Figure 1 Center Road Quarry Summary of Blasting Results 2020-2021



Blasting is an essential best practice for producing construction aggregate and is currently the most efficient. Blasting is highly regulated. At a minimum each blast at the Center Road Quarry must: (a) meet SPS 307 requirements, (b) be conducted by a trained and licensed blaster, (c) be completed during the hours of 8:00 am and 4:00 pm, Monday – Friday, (c) be recorded by a seismograph/blasting log, and (d) be available for review at any time by residential property owners, township or county upon request.

Dolomite reserves at the site will be extracted to an elevation of 950 feet (MSL) per the site's reclamation plan. A portable crushing plant will be used on an as-needed basis to reduce and size the rock according to its use. Intermittent dewatering will keep the quarry floor dry during this time.

A list of portable equipment that could be utilized in stripping, berm construction, seeding, drilling and blasting, dewatering, and processing is included in Appendix F – Aggregate Processing and Construction Equipment.

### Support Structures

Because quarry operations are dynamic, there will be no permanent buildings or structures within the area of extraction. Processing equipment and stockpiles will be positioned to accommodate the working face. A 4' high safety fence will be maintained around the extraction area at all times. A portable scale is positioned near the quarry entrance to weigh material as it leaves the property.

### Haul Routes

The primary haul route will be Center Road to County A to US14 and US 138, with loads delivered to customers on town roads. All hauling from the site is based upon day-to-day demand. A typical truck can hold 22 tons of crushed stone. Scheduled loads can range from zero to 50 loads per average day; more or less may be needed for local or specialized projects.

### Hours of Operation

The hours of operation at the site will align with other agricultural schedules to take advantage of optimum daylight during the construction season. In general, business hours for commercial sale will be from 7 a.m. to 7 p.m., Monday through Friday, and 7 a.m. to 5 p.m. on Saturdays.

Extended hours may occasionally be needed due to peak hour project restrictions. Material processing will coincide with these hours, but at times, an extended schedule may be utilized to facilitate a project, meet a deadline, or take advantage of fair-weather conditions.

## **Human Health and Environmental Protections**

Several different features have been incorporated into this plan to protect human health and the environment. They are categorized below and outlined in more detail in Appendices E and G. The protections, used in conjunction with the operation plan, are designed to meet Dane County Standards for Conditional Use Permits and support the overall goals of the Town of Rutland comprehensive plan:

- preserve productive farmlands in the town for continued agricultural use
- protect farm operations from conflict with incompatible uses
- preserve natural resources and protect the environment
- encourage land uses that are consistent with and contribute to the town's rural character.

For a summary of how the proposed CUP application for nonmetallic mineral extraction meets Dane County Standards refer to Appendix H.

### Safety

The safety aspects of nonmetallic mining are regulated by the Mine, Safety, and Health Administration. The primary safety feature is the installation of a 4-foot tall, woven-wire fence along the perimeter of the excavation. Posted notices or signs will additionally be used to increase awareness and improve safety. These include:

1. Notice of the required site-specific safety training for those entering the quarry
2. Signs posting a safe speed limit
3. Signs with 'No Trespassing' and 'Active Quarry' posted along fencing and/or bermed areas.

### Aesthetics

Aesthetics at the site are, in large part, controlled by topography and existing vegetation. The surrounding landscape shields the quarry from view on all sides of the excavation. Existing wooded around the perimeter of the site will be preserved throughout the life of the project.

## Noise

Various pieces of construction equipment can produce noise. This equipment is similar in sound and intensity to other noises routinely generated by traffic and nearby agricultural equipment during cultivation, planting, fertilizing, or harvesting. The topography and existing wooded areas on the property provide a natural sound barrier to quarry operations. The following noise abatement measures were additionally compiled to address potential noise concerns of surrounding property owners. They include:

1. Using sound control devices on equipment, such as mufflers.
2. Maintaining equipment on a regular basis.
3. Crushing below grade in the quarry.

## Dust

Nelson Excavating has a comprehensive approach to emission control on their nonmetallic mining properties. The best management practices they employ to minimize dust are outlined in detail in their Emission Control Plan, contained in Appendix G.

## Ground Water and Surface Water Protection

Groundwater and surface water protection are an integrated part of Nelson Excavating's daily operation. A copy of their pollution prevention and spill response plan is included in Appendix E. This plan identifies potential contaminants and provides best management practices for spill prevention.

## **Post-Mining Land Use and Proposed Reclamation Plan**

Based upon the amount of reserves on the property and commercial sales over time, it is expected that the resource will supply Dane County communities for over 50 years, assuming ½ acre per year.

When the resource is fully depleted, the site will be restored for agricultural and recreational purposes. A reclamation plan for the property will be submitted to Dane County upon approval of a conditional use permit for the site.

## **Standard of Care**

This plan was prepared using generally accepted geologic and hydrogeologic practices and is based upon the information available at the time of preparation. The scope of this plan is limited to the specific locations described herein.

## **Prepared By:**



---

**Susan M. Courter**  
**Registered Professional Geologist**  
**#334-013**

## **References**

Bedrock Geology, by M.E. Ostrom; Wisconsin Geological and Natural History Survey, (revised 1995).

Soil Survey of Dane County, Wisconsin, United States Department of Agriculture, 1978 and Natural Resources Conservation Service Web Soil Survey, May 2020

Well Construction Reports provided by Wisconsin DNR and Wisconsin Geological and Natural History Survey


Hydrogeology of Dane County, UW- Extension and Wisconsin Geological and Natural History Survey Open File Report (WOFR) 1999-04

Water-table Elevation and Unlithified Aquifers in Dane County, Wisconsin by K. Bradbury, S. Swanson, J. Krohelski, and A. Fritz, WGNHS Open-File Report 1999-04, 1999

# APPENDIX A

## FIGURES 1-8


Figure 1	USGS Topographic and Site Location
Figure 2	Zoning & Parcel Boundaries
Figure 3	2018 Aerial Imagery Map
Figure 4	Existing Conditions
Figure 5	Soil Types
Figure 6	Depth to Water Table
Figure 7	Property Owners Within 1,000 Feet
Figure 8	Operation Plan



**Figure 1**  
 USGS Topographic  
 and Site Location

**Legend**

-  Rivers and Streams
-  Roads
-  Project Area



Map Created: September 17, 2021  
 2018 USGS Topo Map obtained from US Geological Survey, 2018, The National Map. Date Accessed: July 29, 2020  
 2020 Parcel Boundary obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>  
 2019 Roads data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/county-and-local-roads>

Kevin Hahn Property  
 Center Road Quarry  
 Section 28, Town of Rutland  
 Dane County, WI



**Figure 2**

**Zoning & Parcel Boundaries**

**Legend**

— Roads

▭ Project Area

▭ Parcels outside of Project

**Zoning District**

▭ FP-1 - Small Lot Farmland Preservation

▭ FP-35 - General Preservation Farmland

▭ RE - Recreational

▭ RM-16 - Rural Mixed-Use, 16-35 acres

▭ RR-2 - Rural Residential, 2-4

▭ RR-4 - Rural Residential, 4-8 acres


▭ RR-8 - Rural Residential, 8-16

▭ SFR-08 - Single-Family Residential, Small Lots

**Parcel Labels**

Parcel ID - 051028198504

Acreage - 9.033




Map Created: September 17, 2021

2020 Parcel Boundary and Zoning data obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>

2019 Roads data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/county-and-local-roads>

Kevin Hahn Property  
Center Road Quarry  
Section 28, Town of Rutland  
Dane County, WI



**Figure 3**

**2018 Aerial Imagery Map**

**Legend**

-  Rivers and Streams
-  Roads
-  Project Area
-  Parcels



0 170 340 680 1,020 1,360 Feet

Map Created: September 17, 2021

Aerial Map Data Source: Esri, DigitalGlobe, GeoEye, EarthStar Geographics 2021


2020 Parcel Boundary obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>

2019 Roads data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/county-and-local-roads>


Kevin Hahn Property  
Center Road Quarry  
Section 28, Town of Rutland  
Dane County, WI



Source: Esri, Maxar, GeoEye, Earthstar Geographics, CNES/Airbus DS, USDA, USGS, AeroGRID, IGN, and the GIS User Community



**Figure 4**  
Existing Conditions



**Legend**

--- Rivers and Streams

— Roads

□ Project Area

**Wetland Type**

▨ Freshwater Emergent Wetland

■ Freshwater Pond

■ Other

**Grade**

■ 12% or Greater

□ Below 12%



0 215 430 860 1,290 1,720  
Feet

Map Created: September 24, 2021

2018 USGS Topo Map obtained from US Geological Survey, 2018, The National Map. Date Accessed: July 29, 2020


2020 Parcel Boundary obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>

2019 Roads, slope, and wetland data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/>

Kevin Hahn Property  
Center Road Quarry  
Section 28, Town of Rutland  
Dane County, WI



**Figure 5**  
**Soil Types**



**Legend**

Roads

Project Area

**Soil Type**

BoD2 - Boyer sandy loam, 12-20% slopes

DsB - Dresden silt loam, 2-6% slopes

DsC2 - Dresden silt loam, 6-12% slopes

GsA - Grays silt loam, 0-2% slopes

KeA - Kert silt loam, 0-3% slopes

QUA - Quarry


ShA - Shiocton fine sandy loam, 0-3% slopes

VwA - Virgil silt loam, 0-3% slopes

WvB - Whalan variant loamy fine sand, 2-6% slopes

WxB - Wyocena sandy loam, 2-6% slopes

WxD2 - Wyocena sandy loam, 12-20% slopes



Map Created: September 17, 2021

2021 Soils Data obtained from USGS Web Soil Survey. Date Accessed: September 17, 2021


2020 Parcel Boundary obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>

2019 Roads data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/county-and-local-roads>

Kevin Hahn Property  
Center Road Quarry  
Section 28, Town of Rutland  
Dane County, WI



**Figure 6**  
Depth to Water Table



**Legend**

- Rivers and Streams
- Roads
- Project Area
- Parcels outside Project

**Depth to Water Table**

- 0 to 20 feet
- 20 to 50 feet



0 215 430 860 1,290 1,720 Feet

Map Created: September 17, 2021

Water table & rivers data obtained from WiDNR:  
[https://dnr.wi.gov/topic/landscapes/documents/StateMaps/Map\\_S15\\_WaterTable\\_Depth.pdf](https://dnr.wi.gov/topic/landscapes/documents/StateMaps/Map_S15_WaterTable_Depth.pdf)

2020 Parcel Boundary data obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>

2019 Roads data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/county-and-local-roads>

Kevin Hahn Property  
Center Road Quarry  
Section 28, Town of Rutland  
Dane County, WI



**Figure 7**  
Property Owners  
within 600 Feet

**Legend**

-  Roads
-  600 ft Buffer
-  Project Area
-  Parcels within 600 ft
-  Parcels outside of Buffer




0 140 280 560 840 1,120 Feet

Map Created: September 17, 2021


2020 Parcel Boundary obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>

2019 Roads data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/county-and-local-roads>




Kevin Hahn Property  
Center Road Quarry  
Section 28, Town of Rutland  
Dane County, WI





**Figure 8**  
Operation Plan

- Roadway Setback (30 feet)
- - - Working Berm
- - - Extraction Area
- 10' Contours
- Roads
- - - 32.33' Buffer
- Proposed Fence
- Existing Quarry
- Entrance Drive with Locking Gate



Map Created: October 21, 2021

10' Contours obtained from US Geological Survey, 2018, The National Map. Date Accessed: July 29, 2020

2020 Parcel Boundary obtained from Dane Co. records: <https://gis-countyofdane.opendata.arcgis.com/>

2019 Roads data obtained from Wisconsin DNR OpenData website: <https://data-wi-dnr.opendata.arcgis.com/datasets/>

Aerial Map Data Source: Esri, DigitalGlobe, GeoEye, EarthStar Geographics 2021

Kevin Hahn Property  
Center Road Quarry  
Section 28, Town of Rutland  
Dane County, WI




**APPENDIX B**

**SITE SURVEY**

# Conditional Use Map

PART OF THE NE 1/4 OF THE SE 1/4, SECTION 28,  
T.05N., R.10E., TOWN OF RUTLAND, DANE COUNTY,  
WISCONSIN.



CSM  
# 2590

EAST 1/4  
CORNER,  
SECTION 28

1/4 LINE

N89°22'48"E 1000.00'

Part of the NE 1/4 of the SE 1/4, Section 28, T.05N.,  
R.10E., Town of Rutland, Dane County, Wisconsin.

Beginning at the East 1/4 corner of said Section 28;  
thence S00°53'15"E along the East line of the SE 1/4,  
1000.00 feet; thence S89°22'48"W along a line parallel with  
the North line of the said SE 1/4, 1000.00 feet; thence  
N00°53'15"W along a line parallel with the East line of the  
said 1/4, 1000.00 feet to the North line of the SE 1/4; thence  
N89°22'48"E along said North line, 1000.00 feet to the point  
of beginning. The above described containing 22.957  
acres.

N00°53'15"W 1000.00'

S00°53'15"E 1000.00'

NE 1/4 -  
SE 1/4

CENTER ROAD

1/4 - 1/4 LINE

S89°22'48"W 1000.00'

1/4 LINE

1/4 - 1/4 LINE

SE 1/4 -  
SE 1/4

S.W. GRAVES  
CEMETERY

S.W. GRAVES CEMETERY  
ADDITION # 2

OLD STAGE ROAD

**Wisconsin Mapping, LLC**

\* *surveying and mapping services*  
306 West Quarry Street, Deerfield, Wisconsin 53531  
(608) 764-5602

Prepared for:


Kevin Hahn  
3572 Old Stone Rd.  
Stoughton, WI. 53589

Scale 1" = 200'

0 100 200 400

# Conditional Use Map

PART OF THE NE 1/4 OF THE SE 1/4, SECTION 28,  
T.05N., R.10E., TOWN OF RUTLAND, DANE COUNTY,  
WISCONSIN.



CSM  
# 2590

EAST 1/4  
CORNER,  
SECTION 28

1/4 LINE

N89°22'48"E 1000.00'

Part of the NE 1/4 of the SE 1/4, Section 28, T.05N.,  
R.10E., Town of Rutland, Dane County, Wisconsin.

Beginning at the East 1/4 corner of said Section 28;  
thence S00°53'15"E along the East line of the SE 1/4,  
1000.00 feet; thence S89°22'48"W along a line parallel with  
the North line of the said SE 1/4, 1000.00 feet; thence  
N00°53'15"W along a line parallel with the East line of the  
said 1/4, 1000.00 feet to the North line of the SE 1/4; thence  
N89°22'48"E along said North line, 1000.00 feet to the point  
of beginning. The above described containing 22.957  
acres.

N00°53'15"W 1000.00'

S00°53'15"E 1000.00'

NE 1/4 -  
SE 1/4

CENTER ROAD

1/4 - 1/4 LINE

S89°22'48"W 1000.00'

1/4 LINE

1/4 - 1/4 LINE

SE 1/4 -  
SE 1/4

S.W. GRAVES  
CEMETERY

S.W. GRAVES CEMETERY  
ADDITION # 2

OLD STAGE ROAD

**Wisconsin Mapping, LLC**

*surveying and mapping services*

306 West Quarry Street, Deerfield, Wisconsin 53531  
(608) 764-5602

Prepared for:

Kevin Hahn  
3572 Old Stone Rd.  
Stoughton, WI. 53589

Scale 1" = 200'

0 100 200 400

## **APPENDIX C**

### **LOCAL WELL CONSTRUCTION REPORTS**

<b>Well Construction Report</b> <b>WISCONSIN UNIQUE WELL NUMBER</b>				<b>FT956</b>		<b>Drinking Water and Groundwater - DG/5</b> Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A																				
Property Owner SUHR, BONNIE				Phone # (608)455-3911		<b>1. Well Location</b>				Fire # (if avail.)																				
Mailing Address 483 CENTER RD						Town of RUTLAND																								
City OREGON				State WI	Zip Code 53575	Street Address or Road Name and Number																								
483 CENTER RD						Subdivision Name				Lot #	Block #																			
County Dane	Co. Permit # W09560	Notification #	Completed 01-24-1994																											
Well Constructor (Business Name)			Lic. #	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)				Method Code																				
SAMS ROTARY DRILLERS			370			42.8722 °N -89.3123 °W				GCD013																				
Address PO BOX 150 RANDOLPH WI 53956-0150			Well Plan Approval #		NE	NE	Section	Township	Range																					
			Approval Date (mm-dd-yyyy)		or Govt Lot #	28	5	N	10	E																				
Hicap Permanent Well #		Common Well #	Specific Capacity		Reason for replaced or reconstructed well ?																									
			0.8																											
<b>3. Well serves</b> 1 # of HOMES			Hicap Well ? No		<b>2. Well Type</b> Reconstruction																									
Private, potable			Hicap Property ? No		of previous unique well #                      constructed in																									
Heat Exchange ___ # of drillholes			Hicap Potable ?		Construction Type Drilled																									
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>																														
<b>5. Drillhole Dimensions and Construction Method</b>																														
<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Upper Enlarged Drillhole</td> <td style="width: 50%;">Lower Open Bedrock</td> </tr> <tr> <td>Rotary - Mud Circulation .....</td> <td></td> </tr> <tr> <td>Rotary - Air .....</td> <td></td> </tr> <tr> <td>Rotary - Air &amp; Foam .....</td> <td></td> </tr> <tr> <td>Drill-Through Casing Hammer</td> <td></td> </tr> <tr> <td>Reverse Rotary</td> <td></td> </tr> <tr> <td>Cable-tool Bit ___in. dia...</td> <td></td> </tr> <tr> <td>Dual Rotary .....</td> <td></td> </tr> <tr> <td>Temp. Outer Casing ___in. dia</td> <td></td> </tr> <tr> <td>Removed? ___depth ft. (If NO explain on back side)</td> <td></td> </tr> </table>											Upper Enlarged Drillhole	Lower Open Bedrock	Rotary - Mud Circulation .....		Rotary - Air .....		Rotary - Air & Foam .....		Drill-Through Casing Hammer		Reverse Rotary		Cable-tool Bit ___in. dia...		Dual Rotary .....		Temp. Outer Casing ___in. dia		Removed? ___depth ft. (If NO explain on back side)	
Upper Enlarged Drillhole	Lower Open Bedrock																													
Rotary - Mud Circulation .....																														
Rotary - Air .....																														
Rotary - Air & Foam .....																														
Drill-Through Casing Hammer																														
Reverse Rotary																														
Cable-tool Bit ___in. dia...																														
Dual Rotary .....																														
Temp. Outer Casing ___in. dia																														
Removed? ___depth ft. (If NO explain on back side)																														
<b>6. Casing, Liner, Screen</b>				<b>9. Static Water Level</b>				<b>11. Well Is</b>																						
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly	From (ft.)	To (ft.)	58 ft. below ground surface				18 in. above grade																						
5	STD BLK PIPE, .258 WALL, WELD JTS, SAWHILL	Surface	71	<b>10. Pump Test</b>				Developed ? Yes																						
Dia. (in.)	Screen type, material & slot size	From (ft.)	To (ft.)	Pumping level 84 ft. below surface				Disinfected ? Yes																						
				Pumping at 20 GP M for 1 Hrs.				Capped ? Yes																						
				Pumping Method ?																										
<b>7. Grout or Other Sealing Material</b>				<b>12. Notified Owner of need to fill &amp; seal ?</b>																										
Method				Filled & Sealed Well(s) as needed?																										
				<b>13. Constructor / Supervisory Driller</b>			Lic #	Date Signed																						
				SVG				01-25-1994																						
				Drill Rig Operator			Lic or Reg #	Date Signed																						
				SCK				01-25-1994																						

**WELL CONSTRUCTION REPORT**  
**WISCONSIN STATE BOARD OF HEALTH**  
**WELL CONSTRUCTION DIVISION**

MAR 21 1944

Note: Section 31 of the Wisconsin Well Construction Code, having the force and effect of law, provides that within thirty days after completion of every well the driller shall submit a report covering all essential details of construction to the State Board of Health on a form provided by the Board.


Owner Stone School Dist #5 Driller Harold Burtress  
 Street or RFD \_\_\_\_\_ Post Office Oxfordville wis  
 Post Office \_\_\_\_\_ Date Jan 11-1944 Permit No. 27

**LOCATION OF PREMISES**

Dane  
County

Rutland  
Town

The square below represents a section of land divided into 40 acre tracts. Mark the position of the premises in the section.




Sec. No. 28  
 Twp. North 5N  
 Range 10 { E

Describe further by subdivision, plat, district, lake, lot.

block, nearest principal highway, etc., whichever apply.

**DIAGRAM OF PREMISES**

See Well Construction Report bulletin. In making the diagram in the space below consider 10 ft. as the distance between lines. Be sure to indicate NORTH.



Additional copies of this form may be obtained in lots of 12 for 25c. Send remittance with order to State Board of Health, Well Construction Division, Madison, Wis.

# WELL LOG and REPORT

For method of making report, refer to bulletin entitled "Well Construction Report," 7-5-39. Accuracy is essential.

In this column indicate the kind of casing, liner, shoe and other accessories used.

**WELL DIAGRAM**  
Use a red line to show casing or liner pipe. Use black for drill or borehole.

In this column state the kind of formations penetrated, their thickness in feet and if water bearing.

Record of  
**FINAL**  
Pumping test

Std. Wt. Water well  
pipe Forged steel shoe

Inches Diameter		Depth
2 3 4 5 6 8 10 12 14 16	2 3 4 5 6 8 10 12 14 16	
		25
		50
		75
		100
		150
		200
		400
		800
		1200

Clay 44'

broken limestone

| = casing pipe

Duration of test  
Hours 5

Pumping rate  
G.P.M. 6

Depth of pump in well. Ft. 28'

Standing water-level (from surface)  
Ft. 15'

Water-level when pumping Ft. 20'

Water. End of test.  
Clear   
Cloudy \_\_\_\_\_  
Turbid \_\_\_\_\_

Was the well sterilized?  
Yes  No \_\_\_\_\_

To which laboratory was sample sent?  
Blair  
Date 11-29-43

Was the well sealed on completion?  
Yes  No \_\_\_\_\_

How high did you leave the casing-pipe above grade?  
10"

Well was completed  
Date 11-29-43

Well Constructor  
Harold Burtrees  
Signature

Draw the diagram to show the full diameter and right section of well only.

NOTE:

White Copy - Division's Copy  
 Green Copy - Driller's Copy  
 Yellow Copy - Owner's Copy

JAN 19 1983

1. COUNTY <b>Dane</b>		CHECK (✓) ONE: <input type="checkbox"/> Town <input type="checkbox"/> Village <input type="checkbox"/> City Name <b>Rutland</b>											
2. LOCATION 1/4 Section or Gov't. Lot <b>NE</b> OR - Grid or Street No.    Street or Road Name AND - If available subdivision name, lot & block No.		Section <b>27</b>	Township <b>5N</b>	Range <b>10E</b>	3. NAME <input type="checkbox"/> OWNER <input checked="" type="checkbox"/> AGENT AT TIME OF DRILLING CHECK (✓) ONE <b>Quality Builders</b> ADDRESS <b>454 Center Road</b> POST OFFICE <b>Oregon, WI</b> ZIP CODE <b>53575</b>								
4. Distance in feet from well to nearest: (Record answer in appropriate block)		Building <b>16</b>	Sanitary Bldg. Drain C.I.    Other	Sanitary Bldg. Sewer C.I.    Other	Floor Drain Connected To: C.I. Sewer    Other Sewer	Storm Bldg. Drain C.I.    Other	Storm Bldg. Sewer C.I.    Other						
Street Sewer San.    Storm		Other Sewers C.I.    Other		Foundation Drain Connected to: Sewer    Sewage Sump Clearwater Dr.    Clearwater Sump		Sewage Sump C.I.    Other	Clearwater Sump	Septic Tank <b>83</b>	Holding Tank	Sewage Absorption Unit Seepage Pit Seepage Bed <b>72</b> Seepage Trench		Manure Hopper or Retention or Pneumatic Tank	
Privy	Pet Waste Pit	Pit: Nonconforming Existing Well    Pump    Tank		Subsurface Pumproom Nonconforming Existing		Barn Gutter	Animal Barn Pen	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit	Earthen Silage Storage Trench Or Pit	Earthen Manure Basin
Temporary Manure Stack or Platform		Watertight Liquid Manure Tank or Basin		Manure Pressure Pipe	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)		Manure Storage Basin Concrete Floor Only Concrete Floor and Partial Concrete Walls		Other (Describe)			
5. Well is intended to supply water for: <b>Home</b>					9. FORMATIONS								
6. DRILLHOLE					Kind			From (ft.)		To (ft.)			
Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)	<b>Sand &amp; Clay</b>			Surface		<b>21</b>		
<b>8</b>	Surface	<b>63</b>				<b>Sandstone</b>			<b>21</b>		<b>60</b>		
<b>6</b>	<b>63</b>	<b>128</b>				<b>Limestone</b>			<b>60</b>		<b>128</b>		
7. CASING, LINER, CURBING AND SCREEN Material, Weight, Specification													
Dia. (in.)	Mfg. & Method of Assembly		From (ft.)		To (ft.)								
<b>6</b>	<b>Standard Black</b>		Surface		<b>63</b>								
	<b>Pipe, .280 Wall</b>												
	<b>Welded Joints,</b>												
	<b>A-53.</b>												
8. GROUT OR OTHER SEALING MATERIAL					10. TYPE OF DRILLING MACHINE USED								
Kind		From (ft.)		To (ft.)		<input type="checkbox"/> Cable Tool <input checked="" type="checkbox"/> Rotary-hammer w/drilling mud & air <input type="checkbox"/> Jetting with <input type="checkbox"/> Rotary-air w/drilling mud <input type="checkbox"/> Rotary-hammer & air <input type="checkbox"/> Air <input type="checkbox"/> Rotary-w/drilling mud <input type="checkbox"/> Reverse Rotary <input type="checkbox"/> Water							
<b>Mud &amp; Cuttings</b>		Surface		<b>8</b>		Well construction completed on <b>January 3</b> 19 <b>83</b>							
<b>Cement</b>		<b>8</b>		<b>63</b>		Well is terminated <b>12</b> inches <input checked="" type="checkbox"/> above <input type="checkbox"/> below final grade							
11. MISCELLANEOUS DATA					Well disinfected upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No								
Yield Test: <b>4</b>		Hrs. at <b>21</b>		GPM		Well sealed watertight upon completion <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No							
Depth from surface to normal water level <b>60</b>		Ft.											
Depth of water level when pumping <b>72</b>		Ft.		Stabilized <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No									

Water sample sent to **Madison** laboratory on **December 31** 19 **82**

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature *Sam Vander Zanden*  
 316 *Sam Vander Zanden* Registered Well Driller

Business Name and Complete Mailing Address  
**SAM'S ROTARY DRILLERS**  
 ROUTE 2  
 RANDOLPH, WISCONSIN 53956

MAR 29 1978

State of Wisconsin  
Department of Natural Resources  
Box 7921  
Madison, Wisconsin 53707

NOTE:

White Copy - Division's Copy  
Green Copy - Driller's Copy  
Yellow Copy - Owner's Copy

WELL CONSTRUCTOR'S REPORT  
Form 3300-15 Rev. 12-76

1. COUNTY Dane CHECK (✓) ONE:  Town  Village  City Name Rutland

2. LOCATION SE-NE 38 5N 10E 3. NAME  OWNER  AGENT AT TIME OF DRILLING CHECK (✓) ONE  
OR - Grid or Street No. Street Name Center rd ADDRESS 10 E. Main  
AND - If available subdivision name, lot & block No. POST OFFICE Evansville Wis.

4. Distance in feet from well to nearest: (Record answer in appropriate block) Building 19' Sanitary Bldg. Drain C.I. Other Sanitary Bldg. Sewer C.I. Other Floor Drain Connected To: C.I. Sewer Other Sewer Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other

Street Sewer San. Storm Other Sewers C.I. Other Foundation Drain Connected to: Sewer Sewage Sump Clearwater Dr. Sewage Sump Clearwater Sump Clearwater Sump Sewage Absorption Unit Seepage Pit Seepage Bed 30 Seepage Trench

Privy Pet Waste Pit Pit: Nonconforming Existing Well Pump Tank Subsurface Pumproom Nonconforming Existing Barn Gutter Animal Barn Pen Animal Yard Silo With Pit Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit

Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: Home 9. FORMATIONS

Kind	From (ft.)	To (ft.)
Top Soil	Surface	2
clay + loess	2	24
clay	24	60
lime stone	60	110
sand stone	110	125

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
9	Surface	60'			
6	60	125			

7. CASING, LINER, CURBING AND SCREEN Material, Weight, Specification & Method of Assembly

Dia. (in.)	From (ft.)	To (ft.)
6	Surface	60

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
Drilling mud	Surface	60'

10. TYPE OF DRILLING MACHINE USED

Cable Tool  Rotary-hammer w/drifting mud & air  Jetting with

Rotary-air w/drilling mud  Rotary-hammer & air  Air

Rotary-w/drilling mud  Reverse Rotary  Water

Well construction completed on 2-23-78 1978

11. MISCELLANEOUS DATA

Yield Test: 1 Hrs. at 20 GPM Well is terminated 8 inches  above  below final grade

Depth from surface to normal water level 20 Ft. Well disinfected upon completion  Yes  No

Depth of water level when pumping 95 Ft. Stabilized  Yes  No Well sealed watertight upon completion  Yes  No

Water sample sent to Madison laboratory on 3-28-78 1978

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature: Leon Govert Registered Well Driller

Complete Mail Address: **GOVERT BROS. WELL CO.**  
RT. # 2 HY. 81  
BELOIT, WI 53511

AUG 31 1979

NOTE:  
 White Copy - Division's Copy  
 Green Copy - Driller's Copy  
 Yellow Copy - Owner's Copy

1. COUNTY Dane CHECK (✓) ONE:  Town  Village  City Name Putland

2. LOCATION 1/4 Section NW Section 27 Township 5N Range 10E 3. NAME  OWNER  AGENT AT TIME OF DRILLING CHECK (✓) ONE Sam Lehner

OR - Grid or Street No. Street Name Center Rd ADDRESS

AND - If available subdivision name, lot & block No. POST OFFICE Stoughton, Wis

4. Distance in feet from well to nearest: (Record answer in appropriate block) Building 24 Sanitary Bldg. Drain C.I. Other Sanitary Bldg. Sewer C.I. Other Floor Drain Connected To: C.I. Sewer Other Sewer Storm Bldg. Drain C.I. Other Storm Bldg. Sewer C.I. Other

Street Sewer San. Storm Other Sewers C.I. Other Foundation Drain Connected to Sewer Clearwater Cr. Sewage Sump Clearwater Sump Sewage Sump C.I. Other Clearwater Sump Septic Tank Holding Tank Sewage Absorption Unit Seepage Pit Seepage Bed Seepage Trench 65

Privy Pet Waste Pit Pit: Nonconforming Existing Well Pump Tank Subsurface Pumphoom Nonconforming Existing Barn Gutter Animal Barn Pen Animal Yard Silo With Pit Glass Lined Storage Facility Silo w/o Pit Earthen Silage Storage Trench Or Pit

Temporary Manure Stack Watertight Liquid Manure Tank Solid Manure Storage Structure Subsurface Gasoline or Oil Tank Waste Pond or Land Disposal Unit (Specify Type) Other (Give Description)

5. Well is intended to supply water for: Home

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
8	Surface	43			
6	43	127			

9. FORMATIONS

Kind	From (ft.)	To (ft.)
Clay loam	Surface	4
Clay	4	9
Sand & gravel	9	15
Lime Rock	15	127

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification & Method of Assembly	From (ft.)	To (ft.)
6	5" STD BIK pipe - 280 wall Weld JTS. A-53	Surface	43

10. TYPE OF DRILLING MACHINE USED

<input type="checkbox"/> Cable Tool	<input checked="" type="checkbox"/> Rotary-hammer w/drilling mud & air	<input type="checkbox"/> Jetting with
<input type="checkbox"/> Rotary-air w/drilling mud	<input type="checkbox"/> Rotary-hammer & air	<input type="checkbox"/> Air
<input type="checkbox"/> Rotary-w/drilling mud	<input type="checkbox"/> Reverse Rotary	<input type="checkbox"/> Water

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
Mud	Surface	8
Cement	8	43

Well construction completed on 5-8 1979

11. MISCELLANEOUS DATA  
 Yield Test: 2 Hrs. at 20 GPM  
 Depth from surface to normal water level 45 Ft.  
 Depth of water level when pumping 86 Ft. Stabilized  Yes  No

Well is terminated 12 inches  above  below final grade  
 Well disinfected upon completion  Yes  No  
 Well sealed watertight upon completion  Yes  No

Water sample sent to Madison laboratory on 5-11 1979

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Sam VanderKam Registered Well Driller

Complete Mail Address RT-2 Randolph, Wis.

<b>Well Construction Report</b> <b>WISCONSIN UNIQUE WELL NUMBER</b>				<b>WJ023</b>		<b>Drinking Water and Groundwater - DG/5</b> Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A			
Property Owner LAUNDRIE, ANDY					Phone # (608)332-5153		<b>1. Well Location</b>				Fire # (if avail.)		
Mailing Address 4082 OLD STAGE RD							Town of RUTLAND				4082		
City BROOKLYN					State WI		Zip Code 53521				Street Address or Road Name and Number		
County Dane					Co. Permit # 27482		Notification # 25232498		Completed 02-20-2007		Subdivision Name	Lot #	Block #
Well Constructor (Business Name) SAM'S WELL DRILLING INC					Lic. # 370		Facility ID # (Public Wells)				Latitude / Longitude in Decimal Degree (DD)	Method Code	
Address PO BOX 150 RANDOLPH WI 53956-0150					Well Plan Approval #		Approval Date (mm-dd-yyyy)		42.8638 °N -89.3196 °W		GCD013		
Hicap Permanent Well #					Common Well #		Specific Capacity 0.9		SW SE Section Township Range		or Govt Lot # 28 5 N 10 E		
<b>3. Well serves</b> 1 # of Private, potable					Hicap Well ? No		Hicap Property ? No		<b>2. Well Type</b> Replacement		of previous unique well # constructed in		
Heat Exchange ___ # of drillholes					Hicap Potable ?				Reason for replaced or reconstructed well ?		OLD WELL OUT OF WATER		
									Construction Type Drilled				
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>													
<b>5. Drillhole Dimensions and Construction Method</b>						<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...			From (ft.)		To (ft.)		
Dia. (in.)		From (ft.)		To (ft.)		Geology Codes							
6		Surface		97		- - X -			Sand & Clay		Surface 5		
						- - X G			Sand & Clay, w/Gravel/Cobbles/Boulders/Stones		5 59		
						- B L -			Broken, Limestone/Dolomite		59 64		
						- - L -			Limestone/Dolomite		64 97		
Upper Enlarged Drillhole						Lower Open Bedrock							
No Rotary - Mud Circulation .....						No							
Yes Rotary - Air .....						Yes							
No Rotary - Air & Foam .....						No							
No Drill-Through Casing Hammer													
No Reverse Rotary													
No Cable-tool Bit ___in. dia...						No							
Dual Rotary .....													
No Temp. Outer Casing ___in. dia													
No Removed? ___depth ft. (If NO explain on back side)													
<b>6. Casing, Liner, Screen</b>						<b>9. Static Water Level</b>			<b>11. Well Is</b>				
Dia. (in.)		Material, Weight, Specification Manufacturer & Method of Assembly				From (ft.)		To (ft.)		25 ft. below ground surface			
6		STD BLK, PIPE, .280 WALL, P.E., A53B WHEATLAND				Surface		68		18 in. above grade			
Dia. (in.)		Screen type, material & slot size				From (ft.)		To (ft.)		Developed ? Yes			
										Disinfected ? Yes			
										Capped ? Yes			
<b>7. Grout or Other Sealing Material</b>						<b>12. Notified Owner of need to fill &amp; seal ?</b>							
Method						Filled & Sealed Well(s) as needed? Yes							
Kind of Sealing Material		From (ft.)		To (ft.)		# Sacks Cement							
Granular bentonite		Surface											
<b>13. Constructor / Supervisory Driller</b>						<b>Lic #</b>		<b>Date Signed</b>					
JVJG								02-20-2007					
<b>Drill Rig Operator</b>						<b>Lic or Reg #</b>		<b>Date Signed</b>					
SIVG								02-20-2007					

<b>Well Construction Report</b> <b>WISCONSIN UNIQUE WELL NUMBER</b>				<b>DC135</b>		<b>Drinking Water and Groundwater - DG/5</b> Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A
Property Owner FLORENCE KRAUSE				Phone # (608)455-6546		<b>1. Well Location</b>				Fire # (if avail.)
Mailing Address 4116 OLD STAGE RD						Town of RUTLAND				
City BROOKLYN				State WI	Zip Code 53521	Street Address or Road Name and Number				
County Dane				Co. Permit # W04953	Notification #	Completed 06-05-1991	Subdivision Name		Lot #	Block #
Well Constructor (Business Name) SAMS ROTARY DRILLERS				Lic. # 370	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)		Method Code	
Address PO BOX 150 RANDOLPH WI 53956-0150				Well Plan Approval #		42.8643 °N -89.3218 °W		GCD013		
				Approval Date (mm-dd-yyyy)		NE	SW	Section 28	Township 5 N	Range 10 E
Hicap Permanent Well #		Common Well #		Specific Capacity 0.7		<b>2. Well Type</b> Replacement				
<b>3. Well serves</b> 1 # of Private, potable				Hicap Well ? No		of previous unique well #				constructed in
Heat Exchange ___ # of drillholes				Hicap Property ? No		Reason for replaced or reconstructed well ?				
				Hicap Potable ?		WATER				
						Construction Type Drilled				
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>										
<b>5. Drillhole Dimensions and Construction Method</b>						<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...		From (ft.)	To (ft.)	
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole		Lower Open Bedrock	Geology Codes				
8	Surface	42	Yes Rotary - Mud Circulation .....			C	CLAY	Surface	4	
6	42	102	Yes Rotary - Air .....			Y	SAND AND GRAVEL	4	33	
			Rotary - Air & Foam .....			C	CLAY	33	36	
			Drill-Through Casing Hammer			L	LIMESTONE	36	102	
			Reverse Rotary							
			Cable-tool Bit ___in. dia...							
			Dual Rotary .....							
			Temp. Outer Casing ___in. dia							
			Removed? ___depth ft. (If NO explain on back side)							
<b>6. Casing, Liner, Screen</b>				<b>9. Static Water Level</b>				<b>11. Well Is</b>		
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)	21 ft. below ground surface		0 in. above grade		
6	STD BLACK PIPE .280 WALL, WELD JTS, A-53 KHC			Surface	42	<b>10. Pump Test</b>		Developed ? Yes		
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)	Pumping level 51 ft. below surface		Disinfected ? Yes		
						Pumping at 20 GP for 1 Hrs.		Capped ? Yes		
						Pumping Method ?				
<b>7. Grout or Other Sealing Material</b>						<b>12. Notified Owner of need to fill &amp; seal ?</b>				
Method TREMIE						Filled & Sealed Well(s) as needed?				
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		<b>13. Constructor / Supervisory Driller</b>		Lic #	Date Signed	
MUD AND CUTTINGS		Surface	8			SV			06-24-1991	
CEMENT		8	42	7		Drill Rig Operator		Lic or Reg #	Date Signed	
						SK			06-25-1991	

<b>Well Construction Report</b> <b>WISCONSIN UNIQUE WELL NUMBER</b>				<b>TT086</b>		<b>Drinking Water and Groundwater - DG/5</b> Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A	
Property Owner KNUTSON, KENT				Phone # (608)873-8456		<b>1. Well Location</b>				Fire # (if avail.)	
Mailing Address PO BOX 188						Town of RUTLAND					
City STOUGHTON				State WI		Street Address or Road Name and Number				Block #	
Zip Code 53589						OLD STONE ROAD					
County Dane		Co. Permit # 23880		Notification #		Completed 09-30-2004		Subdivision Name		Lot #	Block #
Well Constructor (Business Name) SAM'S WELL DRILLING INC				Lic. # 370	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)		Method Code		
Address PO BOX 150 RANDOLPH WI 53956-0150				Well Plan Approval #		°N	°W	GPS008			
				Approval Date (mm-dd-yyyy)		NW	NE	Section 28	Township 5 N	Range 10 E	
Hicap Permanent Well #		Common Well #		Specific Capacity 0.5		<b>2. Well Type</b> New Well				of previous unique well # constructed in	
<b>3. Well serves</b> 1 # of Private, potable				Hicap Well ? No		Reason for replaced or reconstructed well ?					
Heat Exchange ___ # of drillholes				Hicap Property ? No		Construction Type Drilled					
Hicap Potable ?											
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>											
<b>5. Drillhole Dimensions and Construction Method</b>						<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...			From (ft.)	To (ft.)	
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole			Lower Open Bedrock					
8.75	Surface	63	<u>No</u> Rotary - Mud Circulation .....			<u>No</u>				4	
6	63	183	<u>Yes</u> Rotary - Air .....			<u>Yes</u>			4	29	
			<u>No</u> Rotary - Air & Foam .....			<u>No</u>			29	183	
			<u>No</u> Drill-Through Casing Hammer								
			<u>No</u> Reverse Rotary								
			<u>No</u> Cable-tool Bit ___in. dia...			<u>No</u>					
			<u>No</u> Dual Rotary .....								
			<u>Yes</u> Temp. Outer Casing 10in. dia								
			<u>Yes</u> Removed? 3depth ft. (If NO explain on back side)								
<b>6. Casing, Liner, Screen</b>						<b>9. Static Water Level</b>			<b>11. Well Is</b>		
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)	102 ft. below ground surface			18 in. above grade		
6	STD BLK, PIPE, .280 WALL, P.E., A53B WHEATLAND			Surface	63	<b>10. Pump Test</b>			Developed ?	Yes	
						Pumping level 130 ft. below surface			Disinfected ?	Yes	
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)	Pumping at 15 GP M for 1 Hrs.			Capped ?	Yes	
						Pumping Method ?					
<b>7. Grout or Other Sealing Material</b>						<b>12. Notified Owner of need to fill &amp; seal ?</b>					
Method Tremie Pipe - Pumped						Filled & Sealed Well(s) as needed?					
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		<b>13. Constructor / Supervisory Driller</b>			Lic #	Date Signed	
Neat cement grout		Surface	63	19 S		JVG				09-30-2004	
						Drill Rig Operator			Lic or Reg #	Date Signed	
						DB				09-30-2004	

<b>Well Construction Report</b> <b>WISCONSIN UNIQUE WELL NUMBER</b>				<b>QJ033</b>		<b>Drinking Water and Groundwater - DG/5</b> Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A																																																			
Property Owner HILLESTAD, SHAWN				Phone # (608)575-8899		<b>1. Well Location</b>				Fire # (if avail.)																																																			
Mailing Address 137 E RICHARD APT #6						Town of RUTLAND																																																							
City OREGON				State WI	Zip Code 53575	Street Address or Road Name and Number																																																							
County Dane	Co. Permit # 19891	Notification #	Completed 07-23-2002	Subdivision Name			Lot #	Block #																																																					
Well Constructor (Business Name) RICHARD E BERKHOLTZ			Lic. # 3	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)			Method Code																																																				
Address 6400 LAKE RD WINDSOR WI 53598-9717			Well Plan Approval #		°N °W		GPS008																																																						
			Approval Date (mm-dd-yyyy)		NE SW	Section 28	Township 5 N	Range 10 E																																																					
Hicap Permanent Well #		Common Well #	Specific Capacity 0.3		<b>2. Well Type</b> New Well			of previous unique well # constructed in																																																					
					Reason for replaced or reconstructed well ?			NEW HOME																																																					
<b>3. Well serves</b> 1 # of Private, potable			Hicap Well ? No		Construction Type Drilled																																																								
Heat Exchange ___ # of drillholes			Hicap Property ? No																																																										
			Hicap Potable ?																																																										
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>																																																													
<b>5. Drillhole Dimensions and Construction Method</b>						<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...			From (ft.)	To (ft.)																																																			
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole		Lower Open Bedrock	<table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td>-</td><td>-</td><td>C</td><td>S</td><td>SANDY CLAY</td><td>Surface</td><td>6</td> </tr> <tr> <td>-</td><td>6</td><td>62</td><td>M</td><td>S</td><td>MEDIUM SAND</td><td>6</td><td>52</td> </tr> <tr> <td>-</td><td></td><td></td><td>-</td><td>Y</td><td>C</td><td>SAND GRAVEL &amp; CLAY</td><td>52</td><td>56</td> </tr> <tr> <td>-</td><td></td><td></td><td>-</td><td>L</td><td>-</td><td>LIMESTONE</td><td>56</td><td>71</td> </tr> <tr> <td>-</td><td></td><td></td><td>B</td><td>L</td><td>-</td><td>BROKEN LIMESTONE</td><td>71</td><td>79</td> </tr> <tr> <td>-</td><td></td><td></td><td>-</td><td>L</td><td>-</td><td>LIMESTONE</td><td>79</td><td>144</td> </tr> </table>			-	-	C	S	SANDY CLAY	Surface	6	-	6	62	M	S	MEDIUM SAND	6	52	-			-	Y	C	SAND GRAVEL & CLAY	52	56	-			-	L	-	LIMESTONE	56	71	-			B	L	-	BROKEN LIMESTONE	71	79	-			-	L	-	LIMESTONE	79	144		
-	-	C	S	SANDY CLAY	Surface				6																																																				
-	6	62	M	S	MEDIUM SAND	6	52																																																						
-			-	Y	C	SAND GRAVEL & CLAY	52	56																																																					
-			-	L	-	LIMESTONE	56	71																																																					
-			B	L	-	BROKEN LIMESTONE	71	79																																																					
-			-	L	-	LIMESTONE	79	144																																																					
9.25	Surface	62	Yes Rotary - Mud Circulation .....		No																																																								
6	62	144	Rotary - Air .....																																																										
			Rotary - Air & Foam .....																																																										
			Drill-Through Casing Hammer																																																										
			Reverse Rotary																																																										
			Cable-tool Bit ___in. dia...																																																										
			Dual Rotary .....																																																										
			Temp. Outer Casing ___in. dia																																																										
			Removed? ___depth ft. (If NO explain on back side)																																																										
<b>6. Casing, Liner, Screen</b>						<b>9. Static Water Level</b>			<b>11. Well Is</b>																																																				
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)	36 ft. below ground surface			12 in. above grade																																																				
6	STD STEEK PE 18.97# ASTMA-53 SAW-HILL			Surface	62	<b>10. Pump Test</b>			Developed ? Yes																																																				
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)	Pumping level 100 ft. below surface			Disinfected ? Yes																																																				
						Pumping at 20 GP M for 0.5 Hrs.			Capped ? Yes																																																				
						Pumping Method ?																																																							
<b>7. Grout or Other Sealing Material</b>						<b>12. Notified Owner of need to fill &amp; seal ?</b>																																																							
Method BRAIDEN HEAD-BENTONITE CIRCULA						Filled & Sealed Well(s) as needed? No																																																							
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		NONE																																																							
NEAT CEMENT		Surface	62	16 S																																																									
						<b>13. Constructor / Supervisory Driller</b>		Lic #	Date Signed																																																				
						RB																																																							
						Drill Rig Operator		Lic or Reg #	Date Signed																																																				
						MAB			07-24-2002																																																				

<b>Well Construction Report</b> <b>WISCONSIN UNIQUE WELL NUMBER</b>				<b>QJ042</b>		<b>Drinking Water and Groundwater - DG/5</b> Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A
Property Owner HILLESTAD, SHAWN				Phone # (608)575-8899		<b>1. Well Location</b>				Fire # (if avail.)
Mailing Address 137 E RICHARD APT 6						Town of RUTLAND				
City OREGON				State WI	Zip Code 53575	Street Address or Road Name and Number				
County Dane				Co. Permit # 19891	Notification #	Completed 08-01-2002	Subdivision Name		Lot #	Block #
Well Constructor (Business Name) RICHARD E BERKHOLTZ				Lic. # 3	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)		Method Code	
Address 6400 LAKE RD WINDSOR WI 53598-9717				Well Plan Approval #		42.8705 °N -89.3232 °W		NE SW Section Township Range		GCD013
Hicap Permanent Well #				Common Well #	Specific Capacity 0.4		or Govt Lot # 28		5 N	10 E
<b>3. Well serves</b> 1 # of Private, potable				Hicap Well ? No		<b>2. Well Type</b> Reconstruction		of previous unique well # QJ033 constructed in 2002		
Heat Exchange ___ # of drillholes				Hicap Property ? No		Reason for replaced or reconstructed well ?		NEW WELL HAD 12.6 NITRATE		
				Hicap Potable ?		Construction Type Drilled				
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>										
<b>5. Drillhole Dimensions and Construction Method</b>						<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...		From (ft.)	To (ft.)	
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole		Lower Open Bedrock	Geology Codes				
6	Surface	200	Rotary - Mud Circulation .....				EXISTING	Surface	144	
3.75	200	251	Rotary - Air .....			L	LIMESTONE	144	168	
			Rotary - Air & Foam .....			T - N -	TAN SANDSTONE	168	220	
			Drill-Through Casing Hammer			T H N -	TAN SANDSTONE WITH HARD RED LAYER	220	225	
			Reverse Rotary			T - N -	TAN SANDSTONE	225	251	
			Cable-tool Bit ___in. dia...							
			Dual Rotary .....							
			Temp. Outer Casing ___in. dia							
			Removed? ___depth ft. (If NO explain on back side)							
<b>6. Casing, Liner, Screen</b>						<b>9. Static Water Level</b>		<b>11. Well Is</b>		
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)	75 ft. below ground surface		12 in. above grade		
4	STD STEEL PE 10.79 LBS SAWHILL			Surface	200	<b>10. Pump Test</b>		Developed ? Yes		
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)	Pumping level 120 ft. below surface		Disinfected ? Yes		
						Pumping at 20 GP M for 0.5 Hrs.		Capped ? Yes		
						Pumping Method ?				
<b>7. Grout or Other Sealing Material</b>						<b>12. Notified Owner of need to fill &amp; seal ?</b>				
Method BRAIDEN HEAD BENTONITE						Filled & Sealed Well(s) as needed? No				
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		NONE				
		Surface								
NEAT CEMENT		9	200	22 S						
						<b>13. Constructor / Supervisory Driller</b>		Lic #	Date Signed	
						RB			08-05-2002	
						Drill Rig Operator		Lic or Reg #	Date Signed	
						MAB			08-05-2002	

<b>Well Construction Report</b>				<b>NE031</b>		<b>Drinking Water and Groundwater - DG/5</b>		Form 3300-077A		
<b>WISCONSIN UNIQUE WELL NUMBER</b>						<b>Department of Natural Resources, Box 7921</b>		<b>Madison WI 53707</b>		
Property Owner HILL, ROBERT			Phone #			<b>1. Well Location</b>			Fire # (if avail.)	
Mailing Address 487 CENTER RD						Town of RUTLAND				
City STOUGHTON			State WI	Zip Code 53589		Street Address or Road Name and Number			487 CENTER RD	
County Dane	Co. Permit # 16093	Notification #		Completed 06-09-1999		Subdivision Name		Lot # 2	Block #	
Well Constructor (Business Name) NIFFENEGGER WELL & PUMP INC			Lic. # 6295	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)			Method Code GCD013	
Address 902 2ND ST MONROE WI 53566			Well Plan Approval #		NE	NE	Section 28	Township 5 N	Range 10 E	
			Approval Date (mm-dd-yyyy)		or Govt Lot #	28	5	N	10	E
Hicap Permanent Well #		Common Well #	Specific Capacity 2.5			<b>2. Well Type</b> New Well			of previous unique well # constructed in	
<b>3. Well serves</b> 1 # of Private, potable			Hicap Well ? No		Reason for replaced or reconstructed well ?					
Heat Exchange ___ # of drillholes			Hicap Property ? No		Construction Type Drilled					
Hicap Potable ?										
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>										
<b>5. Drillhole Dimensions and Construction Method</b>						<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...		From (ft.)	To (ft.)	
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole		Lower Open Bedrock	T	C	BROWN CLAY	Surface	8
8.75	Surface	41	Rotary - Mud Circulation .....				Y	C	SAND, GRAVEL & CLAY	8
6	41	120	Yes Rotary - Air .....				L	S	SANDY LIMESTONE	28
			Rotary - Air & Foam .....							
			Drill-Through Casing Hammer							
			Reverse Rotary							
			Cable-tool Bit ___ in. dia...							
			Dual Rotary .....							
			Temp. Outer Casing ___ in. dia							
			Removed? ___ depth ft. (If NO explain on back side)							
<b>6. Casing, Liner, Screen</b>						<b>9. Static Water Level</b>		<b>11. Well Is</b>		
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)	21 ft. below ground surface		18 in. above grade		
6	STD. WT. ST. .280 WALL 18.97# PER FT PL END WELDED JTS. SAWHILL A53B ASTM			Surface	41	<b>10. Pump Test</b>		Developed ?	Yes	
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)	Pumping level 29 ft. below surface		Disinfected ?	Yes	
						Pumping at 20 GP M for 2 Hrs.		Capped ?	Yes	
						Pumping Method ?				
<b>7. Grout or Other Sealing Material</b>						<b>12. Notified Owner of need to fill &amp; seal ?</b>				
Method TREMIE PIPE PUMPED						Filled & Sealed Well(s) as needed?				
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		<b>13. Constructor / Supervisory Driller</b>		Lic #	Date Signed	
NEAT CEMENT GROUT		Surface	41	15 S		RN			06-18-1999	
						Drill Rig Operator		Lic or Reg #	Date Signed	

001 1 1981

1. COUNTY Dane CHECK (✓) ONE:  Town  Village  City Name Rutland

2. LOCATION SE, SW 1/4 Section or Gov't. Lot NE, S.W. Section 28 Township 5N Range 10E 3. NAME  OWNER  AGENT AT TIME OF DRILLING CHECK ONE Fred Halverson Frederick A. Halverson

OR - Grid or Street No. 4126 Street or Road Name Old Stage Rd ADDRESS 3703 Nathan Hale Ct

AND - If available subdivision name, lot & block No. POST OFFICE Madison ZIP CODE Wisconsin

4. Distance in feet from well to nearest: (Record answer in appropriate block) Building 23

Sanitary Bldg. Drain		Sanitary Bldg. Sewer		Floor Drain Connected To:		Storm Bldg. Drain		Storm Bldg. Sewer	
C.I.	Other	C.I.	Other	C.I. Sewer	Other Sewer	C.I.	Other	C.I.	Other

Street Sewer		Other Sewers		Foundation Drain Connected to:		Sewage Sump		Clearwater Sump	Septic Tank	Holding Tank	Sewage Absorption Unit		Manure Hopper or Retention or Pneumatic Tank
San.	Storm	C.I.	Other	Sewer	Sewage Sump	C.I.	Other				Seepage Pit	Seepage Bed	

Privy	Pet Waste Pit	Pit: Nonconforming Existing		Subsurface Pumproom		Barn Gutter	Animal Barn Pen	Animal Yard	Silo With Pit	Glass Lined Storage Facility	Silo w/o Pit	Earthen Silage Storage Trench Or Pit	Earthen Manure Basin
		Well		Nonconforming Existing									

Temporary Manure Stack or Platform	Watertight Liquid Manure Tank or Basin	Manure Pressure Pipe	Subsurface Gasoline or Oil Tank	Waste Pond or Land Disposal Unit (Specify Type)	Manure Storage Basin		Other (Describe)
					Concrete Floor Only	Concrete Floor and Partial Concrete Walls	

5. Well is intended to supply water for: House

9. FORMATIONS

Kind	From (ft.)	To (ft.)
<u>sand gravel</u>	<u>Surface</u>	<u>5</u>
<u>clay</u>	<u>5</u>	<u>10</u>
<u>sand clay</u>	<u>10</u>	<u>22</u>
<u>sand</u>	<u>22</u>	<u>51</u>
<u>clay</u>	<u>51</u>	<u>62</u>
<u>limestone</u>	<u>62</u>	<u>105</u>
<u>sand rock</u>	<u>105</u>	<u>163</u>

6. DRILLHOLE

Dia. (in.)	From (ft.)	To (ft.)	Dia. (in.)	From (ft.)	To (ft.)
<u>8</u>	<u>Surface</u>	<u>63</u>			
<u>6</u>	<u>63</u>	<u>163</u>			

7. CASING, LINER, CURBING AND SCREEN

Dia. (in.)	Material, Weight, Specification	From (ft.)	To (ft.)
<u>6</u>	<u>Std Black Pipe, .280 Wall, Weld JTS, A-53</u>	<u>Surface</u>	<u>63</u>

8. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
<u>mud</u>	<u>Surface</u>	<u>63</u>

10. TYPE OF DRILLING MACHINE USED

Cable Tool  Rotary-hammer w/drilling mud & air  Jetting with

Rotary-air w/drilling mud  Rotary-hammer & air  Air

Rotary-w/drilling mud  Reverse Rotary  Water

Well construction completed on Sept 28 1981

11. MISCELLANEOUS DATA

Yield Test: 2 Hrs. at 20 GPM

Well is terminated 12 inches  above final grade  below

Depth from surface to normal water level 38 Ft. Well disinfected upon completion  Yes  No

Depth of water level when pumping 80 Ft. Stabilized  Yes  No Well sealed watertight upon completion  Yes  No

Water sample sent to Madison laboratory on Sept 29 1981

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, method of finishing the well, amount of cement used in grouting, blasting, etc., should be given on reverse side.

Signature Sam Vander Halving Registered Well Driller

Business Name and Complete Mailing Address **SAM'S ROTARY DRILLERS**  
ROUTE 2  
RANDOLPH, WISCONSIN 53956

325

<b>Well Construction Report</b>				<b>XP379</b>		<b>Drinking Water and Groundwater - DG/5</b>				Form 3300-077A					
<b>WISCONSIN UNIQUE WELL NUMBER</b>						<b>Department of Natural Resources, Box 7921</b>				<b>Madison WI 53707</b>					
Property Owner PELEGRI, FRANCISCO					Phone #			<b>1. Well Location</b>			Fire # (if avail.)				
Mailing Address 4006 OLD STAGE RD					Town of RUTLAND			Street Address or Road Name and Number							
City BROOKLYN					State WI		Zip Code 53521								
County Dane		Co. Permit #		Notification #		Completed		Subdivision Name			Lot #	Block #			
Dane						07-21-2015									
Well Constructor (Business Name)				Lic. #	Facility ID # (Public Wells)			Latitude / Longitude in Decimal Degree (DD)			Method Code				
NIFFENEGGER WELL & PUMP INC				6295				42.8638 °N -89.3137 °W			GPS008				
Address 902 2ND ST MONROE WI 53566				Well Plan Approval #			SE	SE	Section	Township	Range				
				Approval Date (mm-dd-yyyy)			or Govt Lot #	28	5	N	10	E			
Hicap Permanent Well #		Common Well #		Specific Capacity			<b>2. Well Type</b> New Well								
							of previous unique well # constructed in								
							Reason for replaced or reconstructed well ?								
							Construction Type Drilled								
<b>3. Well serves</b> 1 # of GEOTHERMAL HOLE				Hicap Well ?		No									
Loop(heat pump drillhole)				Hicap Property ?		No									
Heat Exchange ___ # of drillholes				Hicap Potable ?											
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>															
<b>5. Drillhole Dimensions and Construction Method</b>															
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole				Lower Open Bedrock		Geology Codes		<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...		From (ft.)	To (ft.)	
6	Surface	170	Rotary - Mud Circulation .....						-	-	Y	I	TOPSOIL, SAND, GRAVEL	Surface	30
			<u>Yes</u> Rotary - Air .....				<u>No</u>		-	-	L	N	LIMESTONE W/SANDSTONE SEAMS	30	170
			Rotary - Air & Foam .....												
			Drill-Through Casing Hammer												
			Reverse Rotary												
			Cable-tool Bit ___ in. dia...												
			Dual Rotary .....												
			<u>Yes</u> Temp. Outer Casing 6in. dia												
			<u>Yes</u> Removed? 32depth ft. (If NO explain on back side)												
<b>6. Casing, Liner, Screen</b>															
Dia. (in.)	Screen type, material & slot size				From (ft.)		To (ft.)								
<b>7. Grout or Other Sealing Material</b>															
Method TREMIE PIPE PUMPED															
Kind of Sealing Material	From (ft.)	To (ft.)	# Sacks Cement												
BH20	Surface	170	13 S												
<b>8. Geology</b>															

**9. Static Water Level**

\_\_\_\_\_ ft. \_\_\_\_\_ ground surface

**11. Well Is**\_\_\_\_\_ in.  
\_\_\_\_\_ Grade**10. Pump Test**

Pumping level \_\_\_\_\_ ft. below surface

Pumping at \_\_\_\_\_ GP for \_\_\_\_\_ Hrs.

Pumping Method ?

Developed ?

Disinfected ?

Capped ?

**12. Notified Owner of need to fill & seal ?**

Filled &amp; Sealed Well(s) as needed?

**13. Constructor / Supervisory Driller**

Lic #

Date Signed

JF

07-21-2015

**Drill Rig Operator**

Lic or Reg #

Date Signed

RN

07-21-2015

**4a. Potential Contamination Sources**

Is the well located in floodplain ?

Type	Qualifier	Distance	Type	Qualifier	Distance
POWTS dispersal component (soil absorption unit or mound)	>	60	Building Overhang	>	50
			Septic or Holding, or POWTS Tank	>	50

**Comment:**

1 GEOTHERMAL HOLE; 13 SACKS CEMENT. LOOP SYSTEM THAT HORIZONTALLY DRILLED BY ANOTHER FIRM. GEOTHERMO CONNECT-MEQUON. THEY HIT ROCK ON LAST HOLE. NIFFENEGGER CAME IN & CONSTRUCTED HOLE. PERMISSION FROM R. CLARK TO CONSTRUCT. NO NOTIFICATION.

Water Quality Text:

Water Quantity Text:

Difficulty Text:

Created On: 09-08-2015

Created by: WELL CONST LOAD

Updated On: 12-11-2019

Updated by: PARCEL\_MATCH\_LL  
\_OK

<b>Well Construction Report</b>				<b>FY148</b>		<b>Drinking Water and Groundwater - DG/5</b>				Form 3300-077A				
<b>WISCONSIN UNIQUE WELL NUMBER</b>						Department of Natural Resources, Box 7921				Madison WI 53707				
Property Owner EUGSTEN, TOM					Phone # (608)873-3822			<b>1. Well Location</b>			Fire # (if avail.)			
Mailing Address 4738 SCHUSTER								Town of RUTLAND						
City OREGON					State WI		Zip Code 53575			Street Address or Road Name and Number				
County Dane					Co. Permit # W07930		Notification #		Completed 07-13-1993		Subdivision Name		Lot #	Block #
Well Constructor (Business Name) SAMS ROTARY DRILLERS					Lic. # 370	Facility ID # (Public Wells)			Latitude / Longitude in Decimal Degree (DD)		Method Code			
Address PO BOX 150 RANDOLPH WI 53956-0150					Well Plan Approval #			NE	SE	Section 28	Township 5 N	Range 10	E	GPS008
														Approval Date (mm-dd-yyyy)
Hicap Permanent Well #			Common Well #		Specific Capacity 0.7			Reason for replaced or reconstructed well ?		HOME @ HOUSE BARN				
<b>3. Well serves</b> 1 # of Private, potable					Hicap Well ? No			<b>2. Well Type</b> New Well of previous unique well # constructed in						
Heat Exchange ___ # of drillholes					Hicap Property ? No									
					Hicap Potable ?			Construction Type Drilled						
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>														
<b>5. Drillhole Dimensions and Construction Method</b>								<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...		From (ft.)	To (ft.)			
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole				Lower Open Bedrock							
8	Surface	63	Yes Rotary - Mud Circulation .....							C	CLAY	Surface	5	
6	63	152	Yes Rotary - Air .....							Y	SAND @ GRAVEL	5	45	
			Rotary - Air & Foam .....							Z	CLAY @ GRAVEL	45	60	
			Drill-Through Casing Hammer							L	LIMEROCK	60	152	
			Reverse Rotary											
			Cable-tool Bit ___in. dia...											
			Dual Rotary .....											
			Temp. Outer Casing ___in. dia											
			Removed? ___depth ft. (If NO explain on back side)											
<b>6. Casing, Liner, Screen</b>					<b>9. Static Water Level</b>			<b>11. Well Is</b>						
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)		35 ft. below ground surface			18 in. above grade				
6	STD BLACK PIPE .280 WALL, WELD JTS, A-53, SAWHILL			Surface	63		<b>10. Pump Test</b>			Developed ? Yes				
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)		Pumping level 65 ft. below surface			Disinfected ? Yes				
							Pumping at 20 GP M for 1 Hrs.			Capped ? Yes				
							Pumping Method ?							
<b>7. Grout or Other Sealing Material</b>					<b>12. Notified Owner of need to fill &amp; seal ?</b>									
Method								Filled & Sealed Well(s) as needed?						
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		<b>13. Constructor / Supervisory Driller</b>			Lic #	Date Signed				
MUD @ CUTTINGS		Surface	63			SVG				07-21-1993				
						Drill Rig Operator			Lic or Reg #	Date Signed				
						STEK				07-21-1993				

# WELL CONSTRUCTOR'S REPORT

Well-6

AUG 18 1971 STATE OF WISCONSIN  
DEPARTMENT OF NATURAL RESOURCES  
Box 450  
Madison, Wisconsin 53701

WHITE COPY - DIVISION'S COPY  
GREEN COPY - DRILLER'S COPY  
YELLOW COPY - OWNER'S COPY

1. COUNTY Dane CHECK ONE  Town  Village  City NAME Rutland

2. LOCATION (Number and Street or 1/4 section, section, township and range. Also give subdivision name, lot and block numbers when available.)  
NE1-NE1-SW1-SEC 28-R10E-T5N

3. OWNER AT TIME OF DRILLING  
Dean George

4. OWNER'S COMPLETE MAIL ADDRESS  
Rt. 1 Evansville, Wis.

5. Distance in feet from well to nearest:

(Record answer in appropriate block)	BUILDING		SANITARY SEWER		FLOOR DRAIN		FOUNDATION DRAIN		WASTE WATER DRAIN	
	C. I.	TILE	C. I.	TILE	C. I.	TILE	SEWER CONNECTED	INDEPENDENT	C. I.	TILE
<u>x means none</u>	10	50	X	X	X	X	X	X	X	X
CLEAR WATER DRAIN	SEPTIC TANK	PRIVY	SEEPAGE PIT	ABSORPTION FIELD	BARN	SILO	ABANDONED WELL	SINK HOLE		
C. I. TILE										
X	X	60	X	70	X	115	133	X		X

OTHER POLLUTION SOURCES (Give description such as dump, quarry, drainage well, stream, pond, lake, etc.)  
X

6. Well is intended to supply water for:  
Residence

7. DRILLHOLE						10. FORMATIONS		
Dia. (in.)	From (ft.)	To (ft.)	Dis. (in.)	From (ft.)	To (ft.)	Kind	From (ft.)	To (ft.)
10	Surface	20	6	20	130	Drift	Surface	2
						Sand	2	10
8. CASING, LINER, CURBING, AND SCREEN						Hardpan	10	40
6	T&C New Black Steel			Surface	62' 2"	Sand	40	60
	19.4 5 #1					Sandstone	60	96
						Limerock	96	130

9. GROUT OR OTHER SEALING MATERIAL

Kind	From (ft.)	To (ft.)
Drill cuttings	Surface	20

Well construction completed on May 20 1971

11. MISCELLANEOUS DATA

Yield test: 4 Hrs. at 50 GPM Well is terminated 10 inches  above  below final grade

Depth from surface to normal water level 22 ft. Well disinfected upon completion  Yes  No

Depth to water level when pumping 30 ft. Well sealed watertight upon completion  Yes  No

Water sample sent to Madison # 60696 laboratory on: May 24 1971

Your opinion concerning other pollution hazards, information concerning difficulties encountered, and data relating to nearby wells, screens, seals, type of casing joints, method of finishing the well, amount of cement used in grouting, blasting, sub-surface pumprooms, access pits, etc., should be given on reverse side.

SIGNATURE Harold J. Moldenhauer Registered Well Driller COMPLETE MAIL ADDRESS Jefferson Well Drilling 1207 South Main St. Jefferson, Wis.

Please do not write in space below

COLIFORM TEST RESULT	GAS - 24 HRS.	GAS - 48 HRS.	CONFIRMED	REMARKS
3576				130 plot

Well Construction Report WISCONSIN UNIQUE WELL NUMBER				YV926		Drinking Water and Groundwater - DG/5 Department of Natural Resources, Box 7921 Madison WI 53707				Form 3300-077A	
Property Owner COOK LIVING TRUST				Phone #		<b>1. Well Location</b>				Fire # (if avail.)	
Mailing Address W6193 RON HILL LN						Town of RUTLAND					
City MONTICELLO				State WI		Street Address or Road Name and Number					
Zip Code 53570						OLD STAGE RD					
County Dane		Co. Permit # 00158		Notification # 6873125904		Completed 05-16-2018		Subdivision Name CSM 13824		Lot # 1	Block #
Well Constructor (Business Name) SAM'S WELL DRILLING INC				Lic. # 370	Facility ID # (Public Wells)		Latitude / Longitude in Decimal Degree (DD)			Method Code GPS008	
Address PO BOX 150 N9935 PLEASANT RD RANDOLPH WI 53956				Well Plan Approval #		NE	SW	Section 28	Township 5 N	Range 10 E	
				Approval Date (mm-dd-yyyy)		or Govt Lot #	28	5	N	10	E
Hicap Permanent Well #		Common Well #		Specific Capacity 0.4		<b>2. Well Type</b> New Well				of previous unique well # constructed in	
<b>3. Well serves</b> 1 # of HOME				Hicap Well ? No		Reason for replaced or reconstructed well ?					
Private, potable				Hicap Property ? No							
Heat Exchange ___ # of drillholes				Hicap Potable ? Yes		Construction Type Drilled					
<b>4. Potential Contamination Sources - ON REVERSE SIDE</b>											
<b>5. Drillhole Dimensions and Construction Method</b>						<b>8. Geology</b> Type, Caving/Noncaving, Color, Hardness, etc...			From (ft.)	To (ft.)	
Dia. (in.)	From (ft.)	To (ft.)	Upper Enlarged Drillhole		Lower Open Bedrock	X	X-SAND & CLAY		Surface	22	
8.75	Surface	102	Yes	Rotary - Mud Circulation .....	No	Y	Y-SAND & GRAVEL		22	31	
6	102	183	No	Rotary - Air .....	Yes	L	L-LIMESTONE/DOLOMITE		31	42	
			No	Rotary - Air & Foam .....	No	B L H	B-BROKEN L-LIMESTONE/DOLOMITE H-SHALEY		42	57	
			No	Drill-Through Casing Hammer		L	L-LIMESTONE/DOLOMITE		57	183	
			No	Reverse Rotary							
			No	Cable-tool Bit ___in. dia...	No						
			No	Dual Rotary .....	No						
			Yes	Temp. Outer Casing 10in. dia							
			Yes	Removed? 3depth ft. (If NO explain on back side)							
<b>6. Casing, Liner, Screen</b>						<b>9. Static Water Level</b>			<b>11. Well Is</b>		
Dia. (in.)	Material, Weight, Specification Manufacturer & Method of Assembly			From (ft.)	To (ft.)	33 ft. below ground surface			24 in. above grade		
6	STD BLK, PIPE, .280 WALL, A53B, TECHNOUBI			Surface	102	<b>10. Pump Test</b>			Developed ? Yes		
Dia. (in.)	Screen type, material & slot size			From (ft.)	To (ft.)	Pumping level 90 ft. below surface			Disinfected ? Yes		
						Pumping at 20 GP M for 1 Hrs.			Capped ? Yes		
						Pumping Method ? Test Pump					
<b>7. Grout or Other Sealing Material</b>						<b>12. Notified Owner of need to fill &amp; seal ?</b> No					
Method TREMIE PIPE - PUMPED						Filled & Sealed Well(s) as needed? No					
Kind of Sealing Material		From (ft.)	To (ft.)	# Sacks Cement		<b>13. Constructor / Supervisory Driller</b>			Lic #	Date Signed	
NEAT CEMENT GROUT		Surface	102	23 S		JVG			6026	05-16-2018	
						<b>Drill Rig Operator</b>			Lic or Reg #	Date Signed	
						JS			7377	05-16-2018	

## **APPENDIX D**

### **AGGREGATE PRODUCTS**

## **AGGREGATE PRODUCTS LIST**

### **Crushed Stone:**

- 3/4" Clear Crushed Limestone
- 1 1/4" Clear Crushed Limestone
- 3" Clear Crushed Limestone
- 5" Clear Crushed Limestone
- 3/4" Base Crushed Limestone
- 1 1/4" Base Crushed Limestone
- 3" Breaker Run
- Screenings
- Rip-Rap – Various Sizes

### **Recycled Products:**

- 1 1/4" Crushed Asphalt
- 1 1/4" Crushed Concrete

### **Other Products:**

- Bank Run Sand
- Screened Sand
- Topsoil
- Screened Topsoil
- Landscape Boulders
- Cobblestone – Various Sizes

## **APPENDIX E**

# **WDNR PERMIT AND STORM WATER POLLUTION PREVENTION PLAN**

## B. GENERAL FACILITY INFORMATION

Name of Facility:

Nelson Pit

Facility Address:

437 Center Rd. Oregon WI. 53575

**Facility Contact:**

Name:

Kevin W Hahn

Title:

Managing Member

Telephone:

608-333-5607

Mailing Address:

3898 Old Stone Rd. Oregon, WI. 53575

Owner:

Kevin W Hahn

Operator: (if different from Owner)

Standard Industrial Classification (SIC) Code: 144

1420

**Permit Information:**

Permit Number: WI-00465150-4

Initial Date of Coverage: (Start Date on Cover Letter)

2 March 18

Number of Storm Water Outfalls:

One

Receiving Water

**Emergency Contact (preferably on-site):**

Name:

Kevin W. Hahn

Telephone:

608-333-5607

## C. OBJECTIVES

This storm water pollution prevention plan (SWPPP) covers the operations at

**Nelson Pit 437 Center Rd. Oregon WI 53575**

*insert facility name*

It has been developed as required under Section 3.3 of Wisconsin's Pollutant Discharge Elimination System (WPDES) general permit WI-0046515-4 for Nonmetallic Mining Operations in accordance with good engineering practices. This SWPPP describes this facility and its operations, identifies potential sources of storm water pollution at the facility, recommends appropriate best management practices (BMPs) or pollution control measures to reduce the discharge of pollutants in storm water runoff, and provides for periodic review of this SWPPP.

The primary goal of the storm water permit program is to improve the quality of surface waters and groundwaters by reducing the amount of pollutants potentially contained in the storm water runoff. Nonmetallic mining operations required by part 3.3 of industrial wastewater WPDES permit WI-0046515-4 must prepare and implement a SWPPP for their facility.

The BMPs that are used on a site are dictated by the site conditions. However the following principles of erosion and sediment control are defined in the Wisconsin Construction Site Best Management Practices Handbook, and apply on NMM sites as well:

- ◆ Minimize disturbed areas
- ◆ Stabilize inactive disturbed areas
- ◆ Keep runoff velocities low
- ◆ Protect disturbed areas from stormwater runoff
- ◆ Retain sediment within the site boundaries
- ◆ Maintain the BMP practices selected

This SWPPP will:

- ◆ identify sources of storm water and non-storm water contamination to the storm water drainage system;
- ◆ identify and prescribe appropriate best management practices designed to prevent storm water contamination from occurring;
- ◆ identify and prescribe best management practices to reduce pollutants in contaminated storm water prior to discharge;
- ◆ prescribe actions needed either to bring non-storm water discharges under the WPDES permit or to remove these discharges from the storm drainage system;
- ◆ prescribe a schedule to ensure that the storm water management actions prescribed in the Storm Water Pollution Prevention Plan are carried out and evaluated on a regular basis.

## D. STORM WATER POLLUTION PREVENTION TEAM

The storm water pollution prevention team is responsible for developing, implementing, maintaining, and revising this SWPPP. The members of the team are familiar with the management and operations of

**Nelson Pit 437 Center Rd. Oregon WI. 53575**

*insert facility name*

**Identify by job title the person in charge** of all aspects of SWPPP development and implementation. The member(s) of the team and their responsibilities (i.e. implementing, maintaining, record keeping, submitting reports, conducting inspections, employee training, conducting the annual compliance evaluation, testing for non-storm water discharges, signing the required certifications) are as follows:

Name	Title	Responsibility
Kevin W. Hahn	Owner	All Responsibilities
N/A		
N/A		

### Employee Training


Employee training is a major component in ensuring the success of the facility SWPPP. The more knowledgeable all employees are about the facility's SWPPP and what is expected of them, the greater the chance that the plan will be successful.

The following is a description of the employee training programs to be implemented to inform appropriate personnel at all levels of responsibility of the components and goals of the SWPPP. (Examples: good housekeeping practices, spill prevention and response procedures, waste minimization practices, informing customers of facility policies, etc.)

Topic	Employees Included	Frequency
N/A		

Nelson Pt 437 Center Rd. Oregon, Wi.

Google Maps Oregon




Imagery ©2018 Google, Map data ©2018 Google 50 ft

Discharge Point  
INTO Ditch

- Annual Facility Site Compliance Inspection Report
- Stormwater Pollution Prevention Plan Summary

## I. CERTIFICATION OF THE SWPPP

"I certify under penalty of law that the Storm Water Pollution Prevention Plan (SWPPP) required by WPDES General Permit No. WI-0046515-4 has been completed and retained on site at the facility, at the company headquarters, or any other location approved by the Department. The SWPPP and attachments were completed under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information contained in the plan. Based on my inquiry of the person, or persons, who manage the system, or those persons directly responsible for gathering the information; the information contained in the SWPPP is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for providing false information, including the possibility of fine and imprisonment. In addition, I certify under penalty of law that, based upon inquiry of persons directly under my supervision, to the best of my knowledge and belief, the SWPPP adheres to the storm water control provisions of WPDES General Permit No. WI-0046515-4 for the development and implementation of a Storm Water Pollution Prevention Plan and that the plan will be complied with."

  
 \_\_\_\_\_  
 Signature of Plan Preparer

**Kevin W. Hahn**  
 \_\_\_\_\_  
 Printed Name

**N/A**  
 \_\_\_\_\_  
 Signature of Authorized Representative

**N/A**  
 \_\_\_\_\_  
 Printed Name

15 April 18  
 \_\_\_\_\_  
 Date

Owner/Managing Member  
 \_\_\_\_\_  
 Title

\_\_\_\_\_  
 Date

\_\_\_\_\_  
 Title

**Name of Business** Nelson Excavating and Son

**Address** 439 Center Road Oregon WI 53575

**Facility Phone** (608 ) 333 - 5607

**Types of Work or Hazardous Substances Used** Fuel and Oils

This spill plan is designed to handle the requirements for this system and associated hazardous substances. Update the spill plan if the hazardous substance inventory changes.

### Spill Prevention

The following are general requirements for any hazardous substances stored or used at this facility.

#### General Requirements

- Ensure all hazardous substances are properly labeled.
- Store, dispense, and/or use hazardous substances in a way that prevents releases.
- Provide secondary containment when storing hazardous substances in bulk quantities (~55 g).
- Maintain good housekeeping practices for all chemical materials at the facility.
- Routine/Daily checks in the hazardous substance storage area to be performed by
- Monthly inspections of the hazardous substance storage area, secondary containment, and annular space (interior cavity of double wall tank) on any Above-ground Storage Tanks (AST) or Underground Storage Tanks (UST) need to be logged in this plan. See Appendix A - Inspection Log.

#### Facility Specific Requirements

- check fuel tanks and hoses for any leaks
- check machinery for any leaks

### Spill Containment

The general spill response procedure at this facility is to stop the source of the spill, contain any spilled material and clean up the spill in a timely manner to prevent accidental injury or other damage. Small spills will be contained by site personnel if they are able to do so without risking injury. Spill kits are located at the following location(s). See attached site map:

Located in gen set semi trailer and scale house

**Personnel will properly characterize spill cleanup materials before disposal.**

- Immediately call **911** in the event of injury, fire or potential fire, or spill of a hazardous substance that gives rise to an emergency situation.
- If a spill has occurred, contact the following persons immediately:
 

Kevin Hahn	(Primary)	( ) <u>333</u> - <u>5607</u>
Devin Hahn	(Secondary)	( ) <u>333</u> - <u>2387</u>
911	(After Hours Emergency Contact)	( ) <u>    </u> - <u>911</u>
- **In the event of a large spill, a properly trained employee should:**
  - Assess the area for any immediate dangers to health or safety (i.e. a wrecked car on fire). If any dangers are present, move away from the area, **call 911**.
  - Notify the primary and/or secondary contact from the list above and then continue your spill response. The primary contact should assess additional notification requirements (i.e. notify City of Tacoma, Ecology, etc. see Spill Reporting below).
  - Retrieve the spill kit from the closest location.
  - Assess the size of the leak and any immediate threat of the spill reaching the floor/storm drains or permeable surfaces in the area. If there is an immediate threat and there are no safety concerns, attempt to block the spill from coming in contact with the floor/storm drain or permeable surface. If no drain covers are available, try to use absorbent (cat litter) or sock booms or rags to stop the spill from getting into the drains or to any permeable surfaces.
  - If the spill can be contained with absorbent booms, deploy them around the spill. Use the booms to direct the spill away from any immediate hazards (i.e. a wrecked car).
  - If there is no immediate threat to the floor/storm drains or permeable surfaces, or after controlling the spill, try to plug or stop the leak, if possible. If applicable, put on protective gear (gloves, goggles, protective clothing, etc.) and plug the leak.
  - Once the spill has been contained and any immediate threat to storm drains or permeable surfaces has been minimized, contact the spill cleanup contractor and dispatch them to clean up the spill or commence spill cleanup procedures.

### **Plan Management**

The primary contact or designee shall administer this plan and will be responsible for updating and including any required documentation.

### **Training**

All personnel who may respond to any spill, need to be trained on the contents and procedures in this plan. Trained personnel will add their names and dates of training to the Training Log (see Appendix D). Only persons trained on this plan shall respond to a spill. If you are not trained and witness a spill, call or notify the primary and secondary contacts listed on Page 2 of this plan.

### **Spill Tracking**

Any spills must be entered into the Spill Log (see Appendix C). If a large catastrophic spill occurs, attach additional pages to describe the event. Include known or possible causes, areas affected, and effectiveness of the cleanup. Include a review of the cleanup contractor and their procedures. For small spills, it is sufficient to fill out the Spill Log, and to take measures to prevent a repeat occurrence.

### **Facility Inspections**

Routine inspections will be conducted daily during regular business hours. Daily inspections will include, at a minimum, a visual inspection of the hazardous substances containers and the area immediately adjacent to it for signs of a spill or leak. These inspections do not need to be logged unless a spill or leak is detected. Ideally, these inspections will be conducted by a manager or by regular employees.

Full site inspections will be conducted monthly by the primary contact or designee and, at a minimum, will include those items on the inspection form in Appendix B. If any item on the inspection form is found unacceptable, the inspection form will be attached to this plan. If all items are deemed acceptable; it is



## Appendix B Inspection Form

Acceptable

Unacceptable

### Lids and Labels?

Have all lids and caps been returned to their proper place?  
Do all the containers still have labels?

### Evidence of Spills?

Is there any indication that a spill might have occurred? If so, was the spill properly cleaned up? Was there any spill kit materials used? Was the Spill Log filled out for that incident? Any housekeeping issues?

### For Tanks with alarm systems only Any Alarms or Sensor issues?

Have there been any alarm conditions in the past month? If alarms have occurred, has the monitoring system been serviced by the manufacturer or an authorized service company? Is the system up and working at this time? Is the sensor working? Did you conduct a test of the alarm and the sensor? When was the last time the sensor was serviced?

### New Hazardous Substances?

Have any new chemical products been purchased? Do you have the MSDS for new products? Have you assessed how to store and handle this new product safely? Have you added the new hazardous substance to the inventory sheet in this plan? Is the container properly labeled?

### Spill Kit Complete?

Have any items been used from the spill kit? If items are missing, is there an associated entry in the Spill Log? Are there any items missing that are currently on order? Is the spill kit stored where it is supposed to be stored? Is there a sufficient supply of daily cleanup materials?

### Storm Drains?

Is there a buildup of sediment in the drain traps? Is there any evidence of drain clogging? Are the drain filters still intact? Any need replacing? Have they been replaced?

### Items Fixed?

Have all deficiencies previously noted been fixed or made acceptable?

List any issues, deficiencies, or failures in detail:

---

---

---

## Appendix C – Spill Log

Date of Spill	Location of Spill	Size of Spill (~ gal)	Prevention Measures Taken?	Spill Kit Materials Reordered?	Was the Spill Kit Adequate? (List any deficiencies, i.e. missing equipment, etc.)



## **APPENDIX F**

# **AGGREGATE PROCESSING AND CONSTRUCTION EQUIPMENT**

## **Aggregate Processing and Construction Equipment**

Example aggregate processing and construction equipment includes:

### Site Development Equipment

Excavator  
Bulldozer  
Scraper  
Backhoe  
Haul truck

### Processing and Material Transport Equipment

Crushing units (primary, secondary, tertiary)  
Screening units  
Conveyors/stackers  
Front end loader  
Skidsteer  
Service truck(s)  
Multi-axle dump truck  
Scale  
Generator  
Water Pump

### Environmental Control Equipment

Tractor & Seed Spreader  
Roller

## **APPENDIX G**

### **EMISSION CONTROL PLAN**

# **Emission Control Plan For Nonmetallic Mineral Processing**

## **INTRODUCTION**

Nelson Excavating and Son LLC realizes the need for a comprehensive and consistent company policy that outlines control measures, activities, and management options that contribute to a reduction in fugitive emissions from crushing, processing, and transporting of aggregates at nonmetallic mineral locations. This plan specifies potential fugitive emissions sources, appropriate control options, and operator responsibilities for maintaining compliance.

## **I. POTENTIAL FUGITIVE EMISSION SOURCES**

- a. Transport of Material from Working Face to the Crusher
- b. Crushing Operations
- c. Screening Operations
- d. Conveying of Aggregate Products
- e. Stockpiling and Stockpile Maintenance
- f. Truck Transport of Final Products
- g. Total Facility

## **2. FUGITIVE EMISSIONS CONTROL OPTIONS**

- a. Water Spray Applications
- b. Shrouding
- c. Chemical Dust Suppressants Applications
- d. Drop Height Management
- e. Site Traffic Speed Control
- f. Timing Management
- g. Climatic Influence
- h. Paving / Sweeping

### 3. RESPONSIBILITIES

- a. Maintain Control Equipment in Operable Condition
- b. Evaluate Fugitive Emission and Need for Control Application
- c. Maintain Access to Water sources and Needed
- d. Enforce Speed Limits on Process Vehicular Traffic
- e. Utilize Management Options

### 4. POTENTIAL FUGITIVE EMISSIONS SOURCES AND MANAGEMENT CONTROLS

- a. Transport of Material from the Working Face to the Primary Crusher - Loader traffic from the primary crusher to the working face may create excess fines in the tire lanes when surface moisture conditions are dry. Loader operators should scrape and replace traffic lane aggregates when necessary to reduce surface fines. Water captured in the loader bucket may additionally be used to maintain control of fugitive emissions.
- b. Crushing Operations – Each reduction phase of the crushing process has the potential to generate fugitive emissions. Primary crushing typically generates the least emissions, while each successive reduction has a greater potential for release. Each facility or crushing spread has spray equipment on site, including pumps, hose, spray nozzles, and spare parts. Spray nozzle location and water application rate is determined by the operator to provide maximum control under situational circumstances. The nozzle or nozzles may be located in one crusher or all crushers at the facility, depending on the level of needed control.
- c. Screening Operations – Screening operations may generate fugitive emissions and are particularly susceptible to wind and low moisture conditions. The initial screen may have adequate material moisture for good emissions control in most circumstances, but as with the reduction phase, each successive screening operation has an increased potential for emissions, with decreased material moisture content and increased fines. Water addition during crushing typically exhibits the best control for screening operations. When water applications are ineffective, shrouding may be added to the screen units to minimize wind influence on the screen face.
- d. Conveying of Aggregate Materials – Conveying during the processing of aggregates exhibits the least potential for fugitive emissions of all the processes at a facility. The drop distance or transfer points between processes and conveyors provide the most opportunity for emissions, but are typically the easiest to control. Wind and /or low moisture conditions may be abated by water application, shrouding of the transfer point, enclosure hoods, and boots, and minimizing the drop height between transfer points. For

normal operations, applications of a single management tool may be very effective in controlling emissions. Extreme conditions of wind and low aggregate moisture may necessitate the use of two or more of the available control options to provide adequate emissions control.

- e. Stockpiling and Stockpile Maintenance – Stockpiling operations at crushing facilities consist of placing aggregates in storage piles with stackers. Stackers are typically adjustable, so drop height to the pile can be controlled as with other conveyors. Product transfer exhibits the greatest amount of fugitive emissions. To minimize emissions, travel roads may be sprayed with water or a chemical dust suppressant for longer lasting control. Scraping and application of new aggregate can also be effective in controlling fugitive emissions from this area of the operation.

Fugitive emissions from stockpiles are highly dependent on aggregate gradation, weather, location, stockpile age, and amount of loading face activity. Aged stockpiles generally exhibit lower fugitive emissions than fresh crush aggregate materials. In areas where one or more of the listed influences are responsible for emissions above acceptable levels, water applications to the stockpile exterior can provide adequate control. Intermittent applications may be necessary when emission conditions are persistent. Orienting the working face to avoid crosswinds can also be an effective management tool for lowering emissions.

- f. Truck Transport of Final Materials – Truck traffic in the area of crushing operations has the potential to generate excessive surface fines on haul roads. While climatic and situational circumstances can contribute to effective controls on a short-term basis, other more intensive and continuous practices are usually required to maintain control of fugitives from this source. Paving, sweeping, watering, chemical application, and speed controls are the most effective options for controlling fugitive emissions from truck traffic. Any one or more of these management options may be incorporated into routine operations to provide continuous benefit.
- g. Total Facility - Minimizing the emissions from fugitive sources at a crushing and processing facility requires a commitment of resources from top-level management, knowledge of potential contributing factors on the part of operations level personnel, and a common-sense application of available management options to provide significant control of fugitive emissions from crushing operations. The crushing operations foreman is trained to recognize state and federal opacity limits for various processes, continually evaluate operating conditions and resulting opacities, and apply appropriate controls to provide compliant operation.

## 5. FUGITIVE EMISSIONS CONTROL OPTIONS

- a. Water Spray Applications – Water may be added directly to aggregate product with spray nozzles at any phase of the production cycle. Each facility is equipped with adequate equipment to make multiple-point applications of water if needed. The person responsible for plant operations decides where application affords the best control efficiency for current conditions. In addition to material control, the plant foreman is responsible for water application to site roads and stockpiles as necessary to maintain acceptable limits.
- b. Shrouding – Shrouds may be constructed and maintained on any process equipment to minimize emissions. Shrouds used for this purpose must meet MSHA safety standards.
- c. Chemical Dust Suppressant Applications – For climatic conditions where natural moisture is deficient and traffic volume is a contributing emissions source, the application of persistent controls such as calcium chloride or forest product resins may be necessary to provide longer lasting effective control. Applications may be supplemented with truck-applied water as needed.
- d. Drop Height Management – The facility foreman is responsible for minimizing drop height at all material transfer points, including stacker and loading operations.
- e. Site Traffic Speed Control - Facility foreman or company responsible official enforces appropriate speed limit in the production area. Speed limit determination is influenced by site-specific conditions and may be lowered at the foremen's discretion, to provide greater control influence.
- f. Timing Management – Company officials may schedule processing or blasting in a particular location to take advantage of optimum precipitation cycles, such as in the spring. While this option is variable, it can provide significant benefit in problematic geologic formations or urban locations.
- g. Paving /Sweeping – Haul and access roads at some locations receive heavy traffic volume and may generate road surface fines in unmanageable quantity. For these extreme conditions, paving with hot-mix asphalt, recycled asphalt pavement and/or sweeping may be helpful in reducing emissions on an ongoing basis. More intensive management practices such as these are normally supplemented with water spray or chemical suppressants to provide maximum emissions reduction.

## **APPENDIX H**

# **DANE COUNTY STANDARDS AND SIMPLIFIED RESPONSES**

## Dane County Standards for Conditional Use Permits

1. The establishment maintenance or operation of the conditional use will not be detrimental to or endanger the public health, safety, comfort or general welfare.

Extraction will continue to operate intermittently as it has in the past to fulfill local demand for construction aggregate products as it has in the past. Safety precautions, including a 4' high fence and locking gate around the perimeter of the quarry, will be maintained. In addition, operational and engineering controls have been developed as part of the conditional use permit application process. These include detailed plans for safety, aesthetics, noise abatement, emission control, blasting, storm water pollution prevention, reclamation, and the control of noxious weeds. In addition, the site will be operated in compliance with all Federal MSHA, State of Wisconsin, Dane County, and Town Rutland requirements.

2. The uses, values, and enjoyment of other property in the neighborhood for purposes already permitted shall be in no foreseeable manner substantially impaired or diminished by establishment, maintenance or operation of the conditional use.

The existing quarry has been in operation since 1950 to supply local demand for stone products; continued operation of the quarry will not devalue or interfere with the enjoyment of the surrounding properties. The existing quarry is surrounded by agricultural land, and obstructed from view on all four sides. The site will continue to be accessed from the entrance drive on Center Road. Unless there is a local delivery, no traffic will be routed onto Old Stage Road.

Portable equipment will be used as needed to drill, blast, crush and stockpile material. Best management practices outlined in the operation plan for the site will be used to reduce noise and control dust.

3. The establishment of the conditional use will not impede the normal and orderly development and improvement of the surrounding property for uses permitted in the district

According to the Town of Rutland Comprehensive Plan (March 6, 2007), preserving the rural character of the area is a priority. The site is located in a rural area. Operations will occur incrementally to preserve farmland. When the mineral resources at the site have been depleted, the site will be reclaimed to a freshwater lake surrounded by farm fields as outlined in an approved reclamation plan for the site.

4. Adequate utilities, access roads, drainage and other necessary site improvements have been or are being made to accommodate the conditional use.

The operation plan for the site identifies access roads and drainage for the site. The site will be accessed from the existing (north) quarry entrance on Center Road. An additional entrance will be created to access the expansion property to the south. The driveways will be will be protected with recycled asphalt, with seeding and erosion control along the side slopes. Operations will comply with permits issued by Wisconsin DNR and Dane County for erosion control and storm water pollution prevention.

5. Adequate measures have been or will be taken to provide ingress and egress so designed as to minimize traffic congestion in the public streets.

The quarry will be serviced by the existing north driveway on Center Road. Traffic on this section is light and offers easy access to US 14. The existing driveway has adequate room to facilitate turning into and out of the property. A stop sign will be erected to signal exiting trucks to stop prior to turning onto Center Road.

6. That the conditional use shall conform to all applicable regulations of the district in which it is located.

The existing quarry and proposed expansion is located in FP-35 (General Farmland Preservation) Zoning District. Nonmetallic mineral extraction is permitted in areas designated FP-35 through the issuance of a Dane County conditional use permit (CUP). Kevin Hahn will operate the quarry in compliance with the CUP, as well as all Federal MSHA, State of Wisconsin, Dane County, and Town of Rutland requirements.

7. The conditional use is consistent with the adopted town and county comprehensive plans.

The Town of Rutland has established Agricultural Preservation Districts as a means of preserving agricultural lands and rural character. The operation of the quarry is consistent with the adopted Town of Rutland Comprehensive (2007), and Dane County Zoning, FP-35 (General Farmland Preservation) which seeks to limit the density of residential development.

**If the conditional use is located in a Farmland Preservation (FP) Zoning district, the conditional use is subject to the following additional standards found in section 10.220(1):**

- I. Explain how the use and its location in the Farmland Preservation Zoning District are consistent with the purposes of the district:

Farmland Preservation Districts helps local government preserve farmland and minimize land use conflicts. The operation of the existing quarry is compatible with these purposes. Areas not used directly for quarrying activities will be maintained for agricultural production.

2. Explain how the use and its location in the Farmland Preservation Zoning district are reasonable and appropriate, considering alternative locations:

Aggregates can only be extracted where they occur in nature close to the surface, and the raw materials for aggregate production are not located in all areas. The aggregates at the site are accessible, and tested to meet State specifications for quality. Quarry operation is compatible with agricultural operations for many reasons; both:

- are reliant upon the geology and quality of native earth materials,
- are seasonal in nature,
- involve harvesting of resources using heavy equipment,
- are better suited to areas of low population, and
- require safe and efficient transportation access to ensure products make it to their market.

Given these reasons, extraction is both reasonable and appropriate for this location.

3. Explain how the use is reasonably designed to minimize the conversion of land from agricultural use or open space use:



The site will be developed incrementally to preserve farmland as described in the operation plan for the site.

4. Explain how the use does not substantially impair or limit the current or future agricultural use of surrounding parcels zoned for agricultural use:

The site will continue to be utilized for agricultural production. After the resource is depleted, areas along the perimeter of the excavation will be returned to farmland.

5. Explain how construction damage to land remaining in agricultural use is minimized and repaired, to the extent feasible.

Construction damage to land remaining in agricultural production will be minimized by the utilization of dedicated haul routes onto and through the property. Trucks and excavation equipment will not be allowed onto agricultural fields outside the CUP boundary.



# Neighborhood Plan